RIMPUFF. Users Guide. Version 20

Thykier-Nielsen, Søren; Mikkelsen, Torben

Publication date:
1987

Document Version
Publisher's PDF, also known as Version of record

Risø-M-2673

RISØ

Risø-M-2673

RIMPUFF

Users Guide

Version 20

S. Thykier Nielsen and Torben Mikkelsen

Risø National Laboratory, DK-4000 Roskilde, Denmark
October, 1987

Risø-M-2673

RIMPUFF
Users Guide
Version 20

S. Thykier-Nielsen and Torben Mikkelsen

Abstract. An operational puff diffusion model, RIMPUFF (RIsø Mesoscale PUFF model) has been developed at Risø National Laboratory to provide risk and safety assessments in connection with e.g. nuclear installations. The computer model releases a sequence of puffs with individual pollutant and heat contents, then calculates the time-dependent concentration field, which is provided by the collection of puffs. The puffs are advected through a three-dimensional grid on the basis of a time sequence of measured horizontal wind vectors. The model code is written in standard FORTRAN 77 for a Burroughs B7800 computer. The code also runs on a VAX or a IBM computer. The input data consists of two data files with parameter specifications. In addition, data files with precalculated wind fields and population distribution can be provided. The model outputs for doses, puff positions wind and concentration fields consists of disk files and printed data. Graphical presentation of results is based on a specific program, which creates background maps, wind vector plots, puff plots and isoconcentration contours.

October 1987
Risø National Laboratory, DK-4000 Roskilde, Denmark

TITLE: Risø Mesoscale PUFFmodel, Version 20

R I M P U F F

AUTHORS

Torben Mikkelsen, Risø National Laboratory, Denmark
Kenneth Nyren, FOA4, Sweden
S. Thykier-Nielsen, Risø National Laboratory, Denmark
S. E. Larsen, Risø National Laboratory, Denmark

ISBN 87-550-1374-0
ISSN 0418-6435

Grafisk Service Center 1987
Risø National Laboratory

CONTENTS

1. INTRODUCTION

The atmospheric diffusion model RIMPUFF is originally implemented on the Risø Burroughs B7800 computer in FORTRAN77 language (B7800 version). The following gives a brief introduction on how to prepare input data and how to run the program. The model outputs are disc files and printed data. Graphical evaluation of the output requires a graphic program which creates background maps, wind vector plots, puff plots and isoconcentration contours. Two program systems are currently available at Risø: PUFFPLOT3 which is based on the Risø Interactive Graphics System (RIGS) and Uniplot which is based on the UNIRAS graphics software package.

2. RISØ PUFF DIFFUSION MODEL

2.1. General characteristics

The shortcomings of a standard plume model can be summarized by its ability to handle non-stationary and non-homogeneous flow- and turbulence situations very poorly. When dispersion is modelled out to distances larger than say 20 km, these shortcomings become progressively more important. The area over which the plume moves is more likely to display significant inhomogeniti , such as, e.g. land-water interfaces. Also, as the advection time of the cloud increases, the probability for temporal changes to occur in the the flow and turbulence fields is more likely.

Standard dispersion modelling of non-homogeneous and non-stationary situations is inhibited by the multitude of characteristics which inhomogeneous and instationary flow situations can take. Flow models to be used to handle many of these situations are also either unreliable, expensive and time consuming, unreliable - or a combination hereof. The quantity and the quality of meteorological data available to drive such a model may also vary greatly from site to site.

The Risø-Mesoscale-PUFF model (RIMPUFF) is designed as a modular system in response to these considerations. The core of the model consists of a bookkeeping algoritm that models a continuous release by a series of consecutively released puffs. At each time step the model advects, diffuses and deposits the individual puffs in accordance with the local meteorological parameter values. Concurrently, it monitors the resulting concentrations in user-specified grid points. The local meteorological parameters and the resulting dispersion parameters are organized in sub-programs, which can readily be changed or modified according to the needs and opportunities in the actual modelling situations.

The puff model is structured such that it handles multiple simultaneous sources and its 3-dimensional monitoring grid can contain several hundreds of puffs. Release points can be located anywhere in the grid and can be specified individual release rates, release times and heat production.

2.2. Present model

In its present form (Dec. 87) for treatment of dispersion over non-homogeneous terrain, RIMPUFF calculates the puffs location on the computer grid by computing their movement during finite time steps, using an interpolated wind field. The latter is based on an objective wind analysis from the available wind measurement stations. Growth of the puffs are computed from simultaneous measurements or specifications of the atmospheric turbulence intensity or/and stability in the dispersion area. The height of the inversion cap (through which pollutants is not assumed to pass) and the source height are specified by the user. Grid spacing for collection of data may vary from meters to kilometers, and time durations for the release can vary from seconds to hours.

A parameter controls the amount of reflection/absorption of the pollutant at the surface. (Total reflection is normally assumed).

The model calculates the concentration at each grid point by summing the contributions from surrounding puffs at each advection step. The grid concentrations/doses can either accumulate or simply be updated with the latest instantaneous value.

The modeloutput consists of individual pufflocations and gridconcentrations at time intervals specified in the

input data. These data can then optionally be evaluated by an interactive graphic program, which creates background maps, wind-field plots, puffplots and iso-concentration contours.

More detailed information on the RISØ puff diffusion model and its use of parameterized puff diffusion can be found in MIK84 and Mik 1987b.

2.3. Gamma dose model

A gamma dose model is included in RIMPUFF. It is based on the semi-infinite cloud model with correction factors given in SLA68. The model calculates the concentration in the centre of each puff and the distance, R, from the puffcentre to each grid point.

The gamma dose in the grid point is then calculated using the following formula:

$$D_\gamma(R) = \sum_E f(E_\gamma)\ E_\gamma\ 0.2292\ GKOR(\sigma, R/\sigma)\ GKOR1(\sigma, E_\gamma)\ X_{puff}(0,0,0)$$

where

$GKOR(\sigma, R/\sigma)$ - correction factor for variation of doses with distance. (SLA68, Fig. 7.14)

$GKOR1(\sigma, E_\gamma)$ - correction factor for variation of doses with photon energy. (SLA68, Fig. 7.14)
This factor is >1 for E < 0.7 MeV
and <1 for E > 0.7 MeV

R Distance from puff centre to gridpoint.

$f_\sigma(E_\gamma)$ $\frac{\text{Frequency}}{\sqrt{\sigma_{xy} \cdot \sigma_z}}$ in energy groups.

2.4. Wind field calculation

The mesoscale wind field over a non-homogeneous region is estimated from a network of available observations by the method of objective wind analysis. A $1/r^2$ -weighting function, where r is the distance from the grid point to the measurement station is used here for the interpolation (STA74).

2.5. Dispersion Parameters

Expansion with time of a single instant puff is fundamentally related to the relative diffusion process. In the surface layer, this is most conveniently described as a function of the local turbulence intensities and downwind distance (see e.g., ref. Mik87). Therefore, the optimal data set for driving the model should include turbulence intensities. Alternatively, in the absence of such data, standard plume dispersion information can be used as, e.g. the Pasquill-Turner system or the Karlsruhe-Jülich system. The latter is as an option implemented in the present version of RIMPUFF. These height-dependent dispersion parameters are shown in Table 2.1. The corresponding stability is in the case determined from the Klug/ Manier-system (KLU68, MAN75).

In table 2.1 the σ-curves are described on the form

$$\sigma(x) = a \cdot x^b$$

where x is the downwind distance and a and b are stability-dependent parameters. The formula is applicable for

$$.01 < X < 20 \text{ km}$$

From this equation the sigma-values after a given advection step ΔX and a given local stability are obtained by differentiation as

$$\sigma(X+\Delta X) = (\sigma(x)^{\frac{1}{b}}+a^{\frac{1}{b}} \cdot \Delta X)^{b}$$

2.6. Plume rise

Since the succession of puffs resembles a continuous release, the formulas used to determine the effective source height after plume rise are taken from standard plume models (PS85b).

The final riseheight for each puff is a function of the atmospheric stability and windspeed at the time of release. The windspeed is adjusted to the release height using an exponential, stability dependent profile, shown in Table 2.2.

2.7. Height of the inversion cap

The height of the inversion cap, the mixing height, varies with stability (KLU68). When the stability changes, the final height is changed accordingly, however, it is never allowed to decrease. For a grid with different stability regions and thus different mixing heights the highest value is chosen to apply for all the stability regions.

Neither the final rise height nor the value of σ_z is allowed to exceed the mixing height chosen.

2.8. Deposition parameters .

Dry deposition is calculated using the source depletion concept. The dry deposition parameters are chosen for the individual puffs according to type of isotope, atmospheric stability and wind speed. Typical values, taken from THY82. are shown in Table 2.3.

Wet deposition is calculated using a wet deposition parameter depending on type of isotope and the actual rain intensity, and taking account of the rain duration. The rain intensity is allowed to vary with time and space. Based on the relevant sets of available information a 'rain field' (field of rain intensities) is again calculated using a method of weighted interpolation on a regular grid. A $1/r^2$ weighting function is used in the present study where r is the distance from the grid point to the measurement station.

Table 2.1. Karlsruhe-Jülich diffusion coefficients as function of stability category and height

Height (m)	Stability Category	Diffusion Coefficient			
		Py	Qy	Pz	Qz
50	A	1.503	0.833	0.151	1.219
	B	0.876	0.823	0.127	1.108
	C	0.659	0.807	0.165	0.996
	D	0.640	0.784	0.215	0.885
	E	0.801	0.754	0.264	0.774
	F	1.294	0.718	0.241	0.662
100	A	0.179	1.296	0.051	1.317
	B	0.324	1.025	0.070	1.151
	C	0.466	0.866	0.137	0.985
	D	0.504	0.818	0.265	0.818
	E	0.411	0.882	0.487	0.652
	F	0.253	1.057	0.717	0.486
180	A	0.671	0.903	0.025	1.500
	B	0.415	0.903	0.033	1.320
	C	0.232	0.903	0.104	0.997
	D	0.208	0.903	0.307	0.734
	E	0.345	0.903	0.546	0.557
	F	0.671	0.903	0.484	0.500

The sigma values as function of distance, X, is given as:

$$\sigma_y = Py \, X^{q_y}$$

$$\sigma_z = Py \, X^{q_y}$$

The formulas are valid for 10 m <= X and X <= 50 km.
Reference: BUN82.

Table 2.2. Wind speed profile.

Stability	A	B	C	D	E	F
P_u	0.07	0.13	0.21	0.34	0.44	0.44

The wind speed at height h (h > 10 m) is calculated from:

$$u(h) = u10 * \left(\frac{h}{10} \right) P_u$$

where u10 is the wind speed at 10 m height.
Reference: PS85b

Table 2.3. Typical values for the dry deposition parameters as a function of stability and wind speed. Based on THY82.

	Dry deposition parameter, v_d (m/s)					
Stability	**A**	**B**	**C**	**D**	**E**	**F**
Wind speed (m/s)						
u< 1	0.4	0.3	0.3	0.2	0.07	0.05
1<=u< 3	1.0	1.0	1.0	0.7	0.30	0.20
3<=u< 6	1.0	1.0	1.0	1.0	0.60	0.60
6<=u<10	1.0	1.0	1.0	1.0	1.0	0.70
10<=u	1.0	1.0	1.0	1.0	1.0	1.0

3. USERS GUIDE

3.1. The input data

The input data consist of two data files with the logical names INDATA (FILE 1) and WINDDA (FILE 2) and a file with the population data (if collective doses must be calculated), BEFDA (FILE 8). INDATA contains the necessary simulation parameters to run a puff simulation. The wind fields necessary for advecting the puffs are created according to the parameters and meteorological observation data defined in the WINDDA file.

If the wind field is derived from a flow field model two further input files are needed:

FILE30: Wind speeds in the PUFF grid
FILE31: Wind directions in the PUFF grid.

(For a description of these files see the subroutine LINCOM in VER20/RIMPUFF.)

3.2. Flow chart for running RIMPUFF

Set up parameters

Prepare the grid size for your simulation.
Define the lower left corner of the grid in UTM-coordinates.
Find the coordinates of the source(s) and the wind observation station(s) in UTM-coordinates.

Set up the INDATA parameters.

	Set up the WINDDA parameters.
	Create a file, BEFDA, with population data.
Running the RIMPUFF code	Prepare a set of wind observation records.
	Create the data files INDATA and WINDDA.
	Run RIMPUFF as a batch job.
Obs! 132 chs output.	Evaluate printer output.
	Run the graphical evaluation program.

4. Description of the INDATA file:

The INDATA file contains the parameters essential for the puff simulation and the output of the results. First the different parameters will be explained followed by an example. The parameters are read by the program using the Fortran NAMELIST facility. The INDATA file is divided into five separate parts and must be defined in the following order:

1. PRIMDA
2. RELDAT
3. STABDA
4. GAMDA
5. DOSDA

4.1. PRIMDA - Namelist

The following parameters must be assigned a value:

TITLE = '<Text string of max. 72 characters defining of your current problem>'

ICOLS = <integer value of number of columns in the concentration grid>

1 < ICOLS < 100

JROWS = <integer value of number of rows in the concentration grid>

1 < JROWS < 100

KPLANS = <integer value of number of vertical plans in the concentration grid>
1 < KPLANS < 2

DELX = <Decimal value of the horizontal grid size (m)>

DELY = <Decimal value of the lateral grid size (m)>

DELZ = <Decimal value of the vertical grid size (m)>

KOORD = <Selector for coordinate system>
KOORD = 0 : Grid units
KOORD = 1 : UTM-coordinates
KOORD = 1 is recommended

XUTM = <X coordinate for lower left corner of grid in the UTM - coordinate system. Unit: km>
Only relevant for KOORD = 1 !

YUTM = <Y coordinate for lower left corner of grid in the UTM - coordinate system. Unit: km>
Only relevant for KOORD = 1 !

TDEL = <Integer value of number of seconds before detection of air and ground concentrations begin>
Concentrations are =0 when T<TDEL

CHEMIN = <Decimal value of minimum concentration of interest>

NTADV = <Integer value of the number of seconds between each advection step>

TAU = <Integer value of the number of seconds between release of each puff>

TAU must be an integer multiplum of NTADV.
TAU = NTADV is recommended.

Remember that max. number of puff in the grid at any one time must be less than 300.
To obtain resonable computing times the number of puffs must be less than 100.

MAPTIM = <Integer value of the number of seconds between output of concentration- and wind fields to printer and disc>

REFLEC = <Decimal value for the reflection of each puff>

NRELSE = <Integer number of seconds to the stop of all releases>

IDMP = <Index of the i'th position in the concentration matrix for the printer output of concentration data>

0 < IDMP < ICOLS
IDMP = 0 => no printer output

JDMP = <Index of the j'th position in the concentration matrix for the printer output of concentration data>

0 < JDMP < JROWS
JDMP = 0 => no printer output

KDMP = <Index of the k'th position in the concentration matrix for the printer output of concentration data>

0 < KDMP < KPLANS

ISMODE = <Stability index mode directing the computation of lateral and vertical standard deviation of each puff>

ISMODE	Sigma-Y	Sigma-Z
1	Pasquill Turner (A,B...F)	Pasquill Turner (A,B...F)
2	Pasquill Turner (A,B...F)	Vertical direction deviation
3	Lateral direction deviation	Pasquill Turner (A,B...F)
4	Lateral direction deviation	Vertical direction deviation

PENTPF = .TRUE. or .FALSE.
.TRUE. : Pentafication of puffs
.FALSE.: No pentafication (Default)

SYMPEN = Minimum sigma-xy value for pentafication,
Default value : 300 meters

ROCKET = .TRUE. or .FALSE.
.TRUE. : Exhaust calculations for rocket (Vandenberg AFB.)
Remember: All values of ZMTAB must be equal (= ZM)
.FALSE.: Normal PUFF calculations.

IBFOPT = Option for calculation of collective doses:
- 0 : No collective doses
- 1 : Collective doses from inhalation
- 2 : Collective doses from gamma doses from deposited material
- 3 : Collective doses from gamma doses from puffs
- 4 : Total collective doses
- 100 : Population distribution in grid

NOTE! Calculation of collective doses or population distribution possible only when KOORD=1 i.e. UTM-coordinates are used.

CALCSY = .TRUE. or .FALSE.
- .TRUE. : Calculation of sigma-y values along the X-axis from tracer concentrations in air.
- .FALSE.: No calculation of sigma-y (Default)

INPRNT = 'YES' or 'NO'
- YES : Logg of input data
- NO : No logg of input data

OUTPUT = 'OUTPUT' or 'NOOUTP'
- OUTPUT : The concentration in air and the puff position file with the logical name OUTAIR is created on disc. (File 10)
- NOOUTP : No air concentration and puff position logg file is created.

OUTMOD = 'INST' or 'DOSE'
- INST : The instantaneous concentrations are calculated.
- DOSE : The time-integrated concentrations are calculated.

OUTWFD = 'OUTPUT' or 'NOOUTP'
OUTPUT : The windfield file with the logical name WFIELD is created. (File 12).
NOOUTP : No windfield file is created.

OUTBEF = 'OUTPUT' or 'NOOUTP'
OUTPUT : A file with collective doses is created, if 1<= IBFOPT <=4. (File 88).
If IBFOPT= 100, a file with the population distribution is created (File 89).
NOOUTP : No file with collective doses or population distribution.

ITAPIN = <Selector for output on tape for KfK>
ITAPIN = 0 : NO tape with concentrations
ITAPIN = 1 : Tape with concentration for each MAPTIM.
The data are written on file 20.

4.2. RELDAT - Namelist

The following parameters must be assigned a value:

PUFFTX = '<Text string of max. 72 characters of your current source specifications>'

NRMULT = No. of sources (<= 25)

For each source the following should be given:

XSOURC(I) = X-coordinate of source no. I in km in the UTM-coordinate system (or grid-units).

YSOURC(I) = Y-coordinate of source no. I in km in the UTM-coordinate system (or grid-units).

ZSOURC(I) = Z-coordinate of source no. I in grid units.

STRTRL(I) = Start-time of source no. I in seconds

STOPRL(I) = Stop-time of source no. I in seconds

SOURCT(I) = Source strength of source no. I in gram/sec

HEATFX(I) = Heat emission of source no. I in kwatt

Note: 1<= I <= NRMULT

ISNAVN = Name of isotope released from all sources.
Max. 6 characters!

ISDCAY = Decay constant in sec-1 for the isotope released.

4.3. STABDA - Namelist

The following parameters must be assigned a value:

STABTX = '<Text string of max. 72 characters of your current stability specifications>'

DTDZ = Potential temperature gradient in deg. Kelvin per meter. If not available, set to zero.
(DTDZ >= 0)

SIGYIN = Initial value of sigma-y in meters.
Must be greater than 1 meter.

SIGZIN = Initial value of sigma-z in meters.
Must be greater than 1 meter.

ZMTAB(I) = Limited mixing depth in meters for stability category I.
1 < I < 6
ZMTAB(I) must be an integer multiple of DELZ.
If not estimated set to zero (0.0).

DSHEAR = Switch for wind direction shear:
DSHEAR = 0 : No wind direction shear
= 1 : Wind direction shear

ALPSHE = Wind direction shear over the height interval from HSHEMI to HSHEMA. Unit: degrees.

HSHEMI = Minimum height in meters for wind shear specification.
The shear below HSHEMI is calculated as a linear extrapolation of the shear between HSHEMI and HSHEMA.

HSHEMA = Maximum height in meters for wind shear specification.
The shear above HSHEMA is calculated as a linear extrapolation of the shear between HSHEMI and HSHEMA.

USH = Switch for wind speed shear:
USH = 0 : No wind speed shear
= 1 : Wind speed shear

USTAR = U* in meters per sec.

LMOBUK = Monin-Obukov length in meters.

ZROUGH = Roughness length in meters.

DZERO = Zero displacement factor for calculation of wind speed profile. Unit: meters.

DUSDUM = Switch for dump of shear parameters:
DUSDUM = 0 : No dump of shear parameters
= 1 : Dump of shear parameters for each puff, when TOTTIM is an integer multiple of MAPTIM.

DEPMOD = Switch for deposition:
DEPMOD = 0 : No deposition
DEPMOD = 1 : Dry and wet deposition

OUTDEP = 'OUTPUT' or 'NOOUTP'

OUTPUT : The concentration of material deposited on the ground is written on a disc file with the logical name OUTDEP. (File 11)
NOOUTP : No file with concentrations of deposited material.

VDTAB(I,J)= Dry deposition parameter for stability class I and wind speed interval J.

$1 < I < 6$
$1 < J < 5$

The wind speed intervals are (m/s):

J=1 : 0 < Speed < 1
J=2 : 1 < Speed < 3
J=3 : 3 < Speed < 6
J=4 : 6 < Speed < 10
J=5 : 10 < Speed

LDTAB(I) = Wet deposition parameter for precipitation class I.

$1 < I < 3$

The precipitation classes are (mm/h):

I=1 : 0.01 < Precip. intens. < 1
I=2 : 1 < Precip. intens. < 3
I=3 : 3 < Precip. intens.

TIMRAI(I) = Duration of precipitation in intensity class I.
In seconds (integer number).

Calculation of wind speed and wind direction shear is based on MIK82.

4.4. GAMDA - Namelist

The following parameters must be assigned a value:

GAMMOD = Switch for calculation of gamma doses from puffs
GAMMOD = 0 : No gamma doses
= 1 : Gamma doses from isotope in puffs

OUTGAM = 'OUTPUT' or 'NOOUTP'
OUTPUT : The gamma doses from airborne activity is written on a disc file with the logical name OUTGAM. (File 14)
NOOUTP : No file with gamma doses from airborne activity.

FGAM(I) = Frequency of photons in energy group I.
1 < I < 8
The energy groups are :

No.	Range (MeV)	Mean (MeV)
1	0.000 - 0.080	0.04
2	0.081 - 0.150	0.12
3	0.151 - 0.250	0.20
4	0.251 - 0.510	0.38
5	0.511 - 0.850	0.68
6	0.851 - 1.330	1.09
7	1.331 - 2.030	1.68
8	2.031 - 3.000	2.53

Note that only one isotope may be considered per calculation and that decay and build-up of daughter products are NOT taken into account!

4.5. DOSDA - Namelist

The following parameters must be assigned a value:

RADDOS = Switch for calculation of radiation doses from puffs:
RADDOS = .FALSE. : No radiation doses
= .TRUE. : Doses from radioactive isotopes in puffs.

INDOS = Switch for calculation of inhalation doses from puffs:
INDOS = .FALSE. : No inhalation doses
= .TRUE. : Doses from inhalation of radioactive isotopes in puffs.

GAMDEP = Switch for calculation of gamma doses from deposited radioactive isotopes:
GAMDEP = .FALSE. : No doses from deposited nuclides
= .TRUE. : Doses from deposited material

ORGNAM = '<Text string of max. 8 characters giving the organ to which doses should be calculated>'

DINHAL = Dose factor for inhalation: Dose per curie inhaled integrated over a given time after inhalation.
Unit: Rem/ci.

BRRAT = Breathing rate, m^3/sec

FLTFAK = Filtering factor for houses.
Typical values: 0.33 for average Danish house
1.00 for outdoor stay

GDISO = Dose factor for deposited radioactive isotopes.
Unit: Rem/sec/Ci/m´2

DEPSHD = Shielding factor for gamma doses from deposited radioactive material

GAMSHD = Shielding factor for gamma doses from puffs

ORGSHD = Selfshielding factor for the body organ considered

TDPINT = Integration time for gamma doses from deposited activity, sec. The integration starts at the time when the activity is deposited.

OUTTOT = 'OUTPUT' or 'NOOUTP'

OUTPUT : The sum of the 3 dose components: inhalation, gamma dose from puffs and gamma from deposited material is written on a disc file with the logical name OUTTOT. (File 15).

NOOUTP : No file with total doses.

4.6. Example of the INDATA file

```
&PRIMDA
TITLE='RELEASE HOUR 1. IODINE. 500 M GRID ',
ICOLS=81,JROWS=81,KPLANS=1,DELX=500.,DELY=500.,DELZ=100.,
TDEL=0.0,CHEMIN=0.1E-09,NTADV=30,TAU=30,MAPTIM=3600,REFLEC=1.,
NRELSE=3600,IDMP=16,JDMP=34,KDMP=1,ISMODE=1,ITAPIN=0,
KOORD=1,XUTM=437.2609,YUTM=5486.1323,
INPRNT='YES',OUTDAT='OUTPUT',OUTMOD='DOSE',OUTWPD='OUTPUT'
&END
&RELDAT
PUFFTX='SOURCESITE AT XTOWN 20 M ABOVE GROUND ',
NRMULT=1,
XSOURC(1)=457.7609,YSOURC(1)=5506.6323,ZSOURC(1)=0.20,
STRTRL(1)=0,STOPRL(1)=3600,SOURST(1)=277.77777777778,
HEATFX(1)=1.,
&END
&STABDA
STABTX='MIXING HEIGHT VARIES WITH STABILITY .',
DTDZ=0.,ZMTAB(1)=1600.0,ZMTAB(2)=1200.,ZMTAB(3)=800.,
ZMTAB(4)=600.,ZMTAB(5)=300.,ZMTAB(6)=200.,
DSHEAR=0,ALFSHE=0.0,HSHEMI=10.0,HSHEMA=120.0,
USH=0,USTAR=0.265,LMOBUK=70.0,ZROUGH=0.1,DZERO=0.0,
DUSDUM=0,
DEPMOD=1,OUTDEP='OUTPUT',
VDTAB(1,1)=0.010,VDTAB(2,1)=0.010,VDTAB(3,1)=0.010,
VDTAB(4,1)=0.010,VDTAB(5,1)=0.010,VDTAB(6,1)=0.010,
VDTAB(1,2)=0.010,VDTAB(2,2)=0.010,VDTAB(3,2)=0.010,
VDTAB(4,2)=0.010,VDTAB(5,2)=0.010,VDTAB(6,2)=0.010,
VDTAB(1,3)=0.010,VDTAB(2,3)=0.010,VDTAB(3,3)=0.010,
VDTAB(4,3)=0.010,VDTAB(5,3)=0.010,VDTAB(6,3)=0.010,
VDTAB(1,4)=0.010,VDTAB(2,4)=0.010,VDTAB(3,4)=0.010,
VDTAB(4,4)=0.010,VDTAB(5,4)=0.010,VDTAB(6,4)=0.010,
VDTAB(1,5)=0.010,VDTAB(2,5)=0.010,VDTAB(3,5)=0.010,
VDTAB(4,5)=0.010,VDTAB(5,5)=0.010,VDTAB(6,5)=0.010,
```

```
LDTAB(1)=0.000042,LDTAB(2)=0.000106,LDTAB(3)=0.000233,
TIMRAI(1)=1692,TIMRAI(2)=2628,TIMRAI(3)=2232
&END
&GAMDA
GAMMOD=0,OUTGAM='NOOUTP',
FGAM(1)=0.0,FGAM(2)=0.0,FGAM(3)=0.0,FGAM(4)=0.0,FGAM(5)=0.0,
FGAM(6)=1.0,FGAM(7)=0.0,FGAM(8)=0.0
&END
```

Note: One space is required in the beginning of each line.
Gamma doses are NOT calculated in this example!

5. Description of the WINDDA file

The WINDDA file provides the necessary parameters and wind observation records for a simulation. It is divided in two parts and must be defined in the following order:

1. WINPAR - namelist
2. WIND observation records

The WINPAR namelist assigns values to the parameters used by the wind interpolation routine in RIMPUFF. The wind interpolation record contains information on the stability (Pasquill Turner or standard deviation of the wind direction), the wind direction, the wind speed and precipitation intensity.

5.1. WINPAR - Namelist

The following parameters must be assigned a value:

WNDTLE = '<Text string of max. 72 characters defining of your current winddata set>'

TIME = '<5 character string giving the time of your problem with the format: HH:MM>'

DATE = '<9 character string giving the date of your problem with the format: DD-MMM-YY>'

Example

```
.... TIME = ' 9:00',DATE = '16-OCT-85'
```

ITSP = <Integer value of averaging time for the wind observations in seconds>

NOTE: MOD(ITSP,NTADV) must be zero!
i.e. ITSP must be an integer multiple of NTADV

NP = <Integer value of the number of wind observation stations>
Max. 10 stations are allowed!

NFX = <The maximum first index in the wind field matrix>
Note: NFX = ICOLS

NFY = <The maximum second index in the wind field matrix>
Note: NFY = JROWS

NSTL = <Integer value of the limit on number of wind stations to be used in interpolation if limiting radius is reached>

NSKIP = <Number of wind record to be skipped before start of wind field calculations>

RTE = <Decimal angle of the wind field matrix rotation from north>

RCH = <Decimal radius in meters (or grid units) within included stations are to be used in interpolation>

HWOBS = >0: <Height (in meters) at which the wind speed is measured>
The same height is used for all stations.
-1: The wind speed is assumed to be measured at puff centre height, i.e. no gradient for wind speed.

K1ST = < 0 : Interpolation performed with defined stations.
0< K1ST =< NP : Selects the only station from which wind field is exclusively derived.

FLOFLD = .TRUE.: Wind speed and -direction from data calculations by a flow field model.
See the subroutine LINCOM in VER20/SPACEPUFF.
Stability data are taken from the WINDDA file.
.FALSE.: All wind field data are taken from the WINDDA-file.

For each wind station the following data must be given:
I denotes the station number (0< I < NP).

NAMST(I) = '<Max. 6 character station name>'

X(I) = <X coordinate of wind station in km (UTM-grid) or grid units (puff-grid)>

Y(I) = <Y coordinate of wind station in km (UTM-grid) or grid units (puff-grid)>

SSKIP(I) = .FALSE.: Use data for station no. I in calculations of stability and windfield. (DEFAULT).
.TRUE. : Skip data for station no. I.
Remember to correct the limits for the stability arrays.

COR(I) = <correction in degrees to the wind direction>

CONFAC(I) = <Height adjustment multiplier of the wind speed to chosen reference height>

Note: If the wind speeds are measured at different heights at each wind station an appropriate reference height should be defined. The same heigth as the source, if it is elevated, should be chosen.

A(I) = <Alignment angle weigth in degrees>

The limits for the stability arrays defining the areas around the station in which the stability data for the station applies should be defined. Note that the first station by definition is the "base" station which determines the stability for the whole puff grid. The stability areas for the following stations are then "patched" in to the areas of the first station.

ISXMIN(I) = <X-coordinate for the lower left corner of the stability area, in meters (UTM) or GDU>

ISXMAX(I) = <X-coordinate for the upper rigth corner of the stabilility area, in meters (UTM) or GDU>

ISYMIN(I) = <Y-coordinate for the lower left corner of the stability area, in meters (UTM) or GDU>

ISYMAX(I) = <Y-coordinate for the upper right corner of the stabilility area, in meters (UTM) or GDU>

5.2. Wind data record (BNF-notation)

```
<wind data record>::=
<time>
<Station name>,<Lateral stability>,<Vertical stability>,
<Wind direction>,<Wind speed>,<Rain intensity>
 ....................................
<End Of Wind Record>

 Where:

<time>              ::= 'HH:MM'
<Station name>      ::= 'XXXXXX'    (max. 6 characters)
<Lateral stability>::=  '<Stability category >' |
                        <Standard deviation of the horizontal
                         direction (degrees)>
<Vertical stability>::= '<Stability category >' |
                        <Standard deviation of the vertical
                         direction (degrees)>
<Stability category>::= A|B|C|D|E|F
<Standard deviation of direction>::= 0.0 to 99.99 (degrees)
<End Of Wind Record>::= 'EOWR' | 'STOP'

EOWR  = End of wind record for current time step
STOP  = End of wind record and wind data file
```

5.3. Example of the WINDDA file

```
&WINPAR
WNDTLE='WINDDATA: XTOWN , HOUR 2972 ',
TIME=' 08:00',DATE='08-MAY-75',ITSP=3600,
NP=8,NFX=81,NFY=81,NSTL=3,NSKIP=0,
RTE=0.,RCH=250000.,
NAMST(1)='FCIT',X(1)=470.168,Y(1)=5544.385,COR(1)=0.,
CONFAC(1)=1.000,A(1)=0.,ISXMIN(1)=301200,ISXMAX(1)=618000,
ISYMIN(1)=5345000,ISYMAX(1)=5724610,
NAMST(2)='WCIT',X(2)=569.616,Y(2)=5513.247,COR(2)=0.,
CONFAC(2)=1.000,A(2)=0.,ISXMIN(2)=538000,ISXMAX(2)=618000,
ISYMIN(2)=5478201,ISYMAX(2)=5519801,
NAMST(3)='SCIT',X(3)=514.722,Y(3)=5392.38,COR(3)=0.,
CONFAC(3)=1.000,A(3)=0.,ISXMIN(3)=419600,ISXMAX(3)=618000,
ISYMIN(3)=5345001,ISYMAX(3)=5500601,
NAMST(4)='OCIT',X(4)=537.64,Y(4)=5449.926,COR(4)=0.,
CONFAC(4)=1.000,A(4)=0.,ISXMIN(4)=490000,ISXMAX(4)=618000,
ISYMIN(4)=5433401,ISYMAX(4)=5478201,
NAMST(5)='TOWN',X(5)=362.844,Y(5)=5453.358,COR(5)=0.,
CONFAC(5)=1.000,A(5)=0.,ISXMIN(5)=301200,ISXMAX(5)=416400,
ISYMIN(5)=5345001,ISYMAX(5)=5587001,
NAMST(6)='TCIT',X(6)=331.911,Y(6)=5513.559,COR(6)=0.,
CONFAC(6)=1.000,A(6)=0.,ISXMIN(6)=301200,ISXMAX(6)=358800,
ISYMIN(6)=5478201,ISYMAX(6)=5587001,
NAMST(7)='KCIT',X(7)=368.640,Y(7)=5636.773,COR(7)=0.,
CONFAC(7)=1.000,A(7)=0.,ISXMIN(7)=301200,ISXMAX(7)=416400,
ISYMIN(7)=5590201,ISYMAX(7)=5724601,
NAMST(8)='MONT',X(8)=531.374,Y(8)=5683.4,COR(8)=0.,
CONFAC(8)=1.000,A(8)=0.,ISXMIN(8)=522000,ISXMAX(8)=618000,
ISYMIN(8)=5606201,ISYMAX(8)=5724601,
&END
'19:00'
'FCIT','D','D',  50.0,  5.1,     0.180
'WCIT','D','D', 360.0,  3.3,     0.000
```

```
'SCIT','D','D',  40.0,  4.1,     0.000
'OCIT','D','D',  60.0,  3.9,     0.000
'TOWN','D','D',  40.0,  5.1,     0.090
'TCIT','D','D',  60.0,  6.2,     0.180
'KCIT','E','E',  20.0,  2.6,     0.180
'MONT','D','D',  50.0,  4.1,     0.180
'EOWR'
'20:00'
'FCIT','D','D',  30.0,  5.6,     0.122
'WCIT','D','D', 360.0,  2.8,     0.031
'SCIT','D','D',  40.0,  3.1,     0.016
'OCIT','D','D',  60.0,  3.4,     0.031
'TOWN','D','D',  40.0,  5.1,     0.061
'TCIT','D','D',  70.0,  5.1,     0.122
'KCIT','D','D',  30.0,  2.6,     0.122
'MONT','D','D',  50.0,  4.1,     0.122
'STOP'
```

6. Description of the BEFDA file

The BEFDA file provides the population data for 1 by 1 km squares in the UTM-grid. The data are stored in binary form and are read with the following FORTRAN statement:

```
READ(8,END=8008) (INF(I1),I1=1,675)
```

where

INF(1) = XL = X-coordinate of the lower left corner of 25 by 25 km square in the UTM-grid

INF(2) = YL = Y-coordinate of the lower left corner of 25 by 25 km square in the UTM-grid

INF(i1) = Population in a 1 by 1 km square for which the lower left corner has the coordinates XL+(i-1),YL+(j-1) in km.

i1 = (i-1)*27+(j+1)+1

1<= i <= 25

1<= j <= 25

XL and YL must be an integer multiple of 25.

The BEFDA file must be assigned to File 8 and the specifications must be equivalent to:

```
(FYSNYREEN) : DIRECTORY  ON USERPACK
.  DKBF92 : DIRECTORY
.  .  RIMP : DATA ALTERDATE= 9/19/86 ' 10:52:43 AREAS=1
             AREASIZE=1020 BLOCKSIZE=20250
             CREATIONDATE= 9/19/86 ' 10:52:43 CRUNCHED
             CYCLE=1 FILEORGANIZATION=NOT RESTRICTED
             FILETYPE=0 INTMODE=4
             LASTACCESSDATE=10/14/86 ' 17:31:07
             LASTRECORD=103 (2700 SEGS) MAXRECSIZE=675
             MINRECSIZE=0 SAVEFACTOR=0
             SECURITY=PRIVATE  (I/O)
             TIMESTAMP= 9/19/86 ' 10:52:49 UNITS=0
             VERSION=0  NO WARNINGS
```

The following two files, both pertaining to the UTM zone 32 grid are presently available:

```
DKBF92/85/RIMP.
DKBF92/RIMP.
```

Both files contain population data for Denmark.

7. Description of the output files

If the 6 output options (OUTDAT='OUTPUT' , OUTDEP='OUTPUT', OUTGAM='OUTPUT', OUTTOT='OUTPUT, OUTWFD='OUTPUT' and OUTBEF='OUTPUT') are specified the following files are created:

1. OUTAIR (FILE10)
   - Concentration in air for each MAPTIM
   - Puff position data for each MAPTIM

2. OUTDEP (FILE11)
   - Concentration on the ground for each MAPTIM
   - Puff position data for each MAPTIM

3. OUTGAM (FILE14)
   - Gammadoses from airborne material for each MAPTIM
   - Puff position data for each MAPTIM

4. WFIELD (FILE12)
   - Position of wind stations
   - Wind velocity field with U and V component for each time step

5. OUTTOT (FILE15)
   - Total radiation doses to individuals for each MAPTIM
   - Puff position data for each MAPTIM

6. OUTBFD (FILE88)
   - Total collective doses for each MAPTIM (1<=IBFOPT<=4)
   - Puff position data for each MAPTIM

7. OUTBFT (FILE89)
   - Population distribution in grid. (IBFOPT=100).
     Only data for MAPTIM = 1 !!

These data files provide the input for a (computer specific) plotting program, PUFFPLOT.

Output on the printer of the concentration matrix is made if the following parameters are specified in the PRIMDA namelist of the INDATA file:

0< IDMP < ICOLS
0< JDMP < JROWS
0< KDMP < KPLANS

8. EXAMPLES

8.1. Example no. 1

The files INDATA and WINDDA are as given earlier in this paper. The output is as shown on the following pages.

Example no. 1 from Users Guide

Time 2 hours (MAPTIM = 2)




Z-plan 0.00 MaxD: 3.88E+00 GS/C Time 3600sec
Example no. 1 from Users Guide
Time 1 hour (MAPTIM = 1)
Puffplot: 120 puffs released
4 puffs have left grid
390
375
360
345
330
315
300
285
270
255
240
225
210
195
180
165
150
135
120
105
90
75
60
45
30
15
0
0 25 50 75 100 125 150 175 200 225 250 275 300 325 350 375 400


Z-plan 0.00 MaxD: 3.95E+00 GS/C Time 7200sec
Example no. 1 from Users Guide
Time 2 hours (MAPTIM = 2)
Isodosecurves for doses at ground level
390
375
360
345
330
315
300
285
270
255
240
225
210
195
180
165
150
135
120
105
90
75
60
45
30
15
0
0
25
50
75
100
125
150
175
200
225
250
275
300
325
350
375
400


Ground 0.00 MaxD: 5.57E-02 GS/A Time 7200sec
Example no. 1 from Users Guide
Time 2 hours (MAPTIM = 2)
Integrated concentrations of deposited material
390
375
360
345
330
315
300
285
270
255
240
225
210
195
180
165
150
135
120
105
90
75
60
45
30
15
0
0 25 50 75 100 125 150 175 200 225 250 275 300 325 350 375 400



```
#NEWS    APR.16.86   09:35   : BRUGERMØDE TORSDAG KL. 10
#################################################################
#   HUSK RMA'S BRUGERMØDE TORSDAG KL 10 I NIELS BOHR AUDITORIET.
#   DAGSORDEN:
#   1) DANNELSE AF EN NY AFDELING FOR EDB OG INFORMATIK
#      VED HANS BJERRUM MØLLER.
#   2) BEHANDLING AF 37900'S DRIFT.
#   3) ERFARINGER MED BETALINGSORDNINGEN.
#   4) PLANER FOR DET NÆSTE HALVE ÅAR, HERUNDER OPRETTELSE AF
#   VAX-SERVICE.
#   5) EVENTUEL.
#################################################################
```

DATE: APR 17, 1986 08:02:29, SYSTEM SERIAL: 128, B7800 MCP: SYSTEM/MCP860305. 35.270.3326

W O R K F L O W S T A T E M E N T S

```
00000100  BEGIN JOB EKS1;CLASS=0;CHARGE=4040201;
00000200  MAXPROCTIME=7200;MAXIOTIME=900;MAXLINES=15000;
00000300    RUN OBJECT/VER11K/0/RIMPUFF;
00000400    FILE FILE1=VER11K/INDATA/EKS1;
00000500    FILE FILE2=VER11K/WINDOW/EKS1;
00000600    FILE FILE10=VER11K/OUTAIR/EKS1;
00000700    FILE FILE11=VER11K/OUTDEP/EKS1;
00000800    FILE FILE12=VER11K/WFIELD/EKS1;
00000840    FILE FILE14=VER11K/OUTGAM/EKS1;
00000880    FILE FILE20=VER11K/KFKTAP/EKS1;
00000900    ?END JOB;
```

```
                                        J O B   S U M M A R Y

APR 16, 1986
  18:46:19     BOJ   9187   EKS1.
                            JOB ENTERED SYSTEM: APR 16, 1986 14:05:58 FROM WFL 35.270
                            QUEUE: 0
                            OPERATIONS LSN: 51  MCS: 1
                            PRIORITY: 30
                            USERCODE: FYSNYREEN.
                            CHARGECODE: 4040201.
  18:46:19                  STACK EXTENDED FROM 407 TO 676 WORDS.

  18:46:19     BOT   1135   (FYSNYREEN)OBJECT/VER11K/3/RIMPUFF ON USERPACK.
                            CODE COMPILED: APR 10, 1986 11:56:23 BY FORTRAN77 36.123
                            TASK TYPE: COROUTINE(CALL)
                            PRIORITY: 30
                            USERCODE: FYSNYREEN.
                            CHARGECODE: 4040201.
  18:46:21                  (FYSNYREEN)VER11K/OUTAIR/EKS1 REMOVED ON USERPACK PK98.
  18:46:22                  (FYSNYREEN)VER11K/WFIELD/EKS1 REMOVED ON USERPACK PK98.
  18:46:25                  (FYSNYREEN)VER11K/OUTDEP/EKS1 REMOVED ON USERPACK PK98.
  18:52:47     EOT   1135   (FYSNYREEN)OBJECT/VER11K/3/RIMPUFF ON USERPACK.
                            PROCESSOR TIME: 00:06:12.174   USERCODE: FYSNYREEN.
                            I/O       TIME: 00:00:06.425   CHARGECODE: 4040201.
                            READYQ    TIME: 00:00:00.424   LINES PRINTED: 1166.
                            INITPRIT  TIME: 00:00:02.501   AVERAGE MEMORY USAGE: CODE=6694, DATA=353938
                            OTHERPRIT TIME: 00:00:00.312   MEMORY INTEGRAL: CODE=2520.911, DATA=133293.126
                            ELAPSED   TIME: 00:06:27.703   DATA & CODE ALLOWED IN & OCCUPIED: GLOBAL.
                                                           INITIAL PBITS: 1192, OTHER PBITS: 127.

  18:52:47     EOJ   9187   EKS1.
                            PROCESSOR TIME: 00:00:00.084   USERCODE: FYSNYREEN.
                            I/O       TIME: 00:00:00.150   CHARGECODE: 4040201.
                            READYQ    TIME: 00:00:00.017   AVERAGE MEMORY USAGE: CODE=46, DATA=1261
                            INITPRIT  TIME: 00:00:00.034   MEMORY INTEGRAL: CODE=0.011, DATA=0.297
                            OTHERPRIT TIME: 00:00:00.002   DATA & CODE ALLOWED IN & OCCUPIED: GLOBAL.
                            ELAPSED   TIME: 00:06:28.548   INITIAL PBITS: 28, OTHER PBITS: 1.
```

RELEASE HOUR 1. IODINE. 500 M GRID

KEY PARAMETER FOR CURRENT RUN:

NRELSE =	3600				
ICOLS =	81	JROWS =	31	KPLANS =	1
MTADV =	30	MAPTIM =	3600	TAU =	30
DELX =	500.00	DELY =	500.00	DELZ =	100.00
CHEMIN =	0.1000E-09	REFLEC =	1.00000	TDEL =	0
IDMP =	16	JDMP =	34	KDMP =	1

ISMODE = 1

INPRNT = YES

OUTDAT = OUTPUT OUTMOD = DOSE

OUTNFD = OUTPUT
KFRTAPE= 0 (0 = NO, 1<= YES)

* COORDINATES FOR SOURCE AND WINDSTATIONS IN UTM
* LOWER LEFT CORNER IS 437.2609 , 5486.1323 KM

```
 SOURCESITE AT XTOWN 20 M ABOVE GROUND

CURRENT SOURCEDATA : NUMBER OF ACTIVE SOURCES :    1
  1 41.00 41.00  0.20          0       3600************ 1.000000000
   ZHGT = 20.0
```

NO GAMMADOSES FROM PUFFS

FRAME FOR PUFF ADVECTION:
X: 0 => 80 , Y: 0 => 80

THE MIXING LAYER IS LIMITED AT: 1500.00 METERS IN STABILITY CAT 1
THE MIXING LAYER IS LIMITED AT: 1200.00 METERS IN STABILITY CAT 2
THE MIXING LAYER IS LIMITED AT: 800.00 METERS IN STABILITY CAT 3
THE MIXING LAYER IS LIMITED AT: 500.00 METERS IN STABILITY CAT 4
THE MIXING LAYER IS LIMITED AT: 300.00 METERS IN STABILITY CAT 5
THE MIXING LAYER IS LIMITED AT: 200.00 METERS IN STABILITY CAT 6

IN THE CURRENT RUN, THE STABILITY-CLASSES ARE
CONNECTED TO INTENSITY DATA AS FOLLOWS:

STABILITY CLASS NO.:	1	2	3	4	5	6
INTENSITY DATA :	0.42	0.34	0.26	0.17	0.09	0.04

MIXING HEIGHT VARIES WITH STABILITY -

IN THE CURRENT RUN, THE POTENTIAL TEMPERATURE
GRADIENT IS SET TO: 0.0000

NO WIND SHEAR

DEPOSITION PARAMETERS

DRY DEPOSITION PARAMETER, VD (M/S)

WINDSPEED (M/S)	A	B	C	D	E	F
U < 1	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02
1 <= U < 3	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02
3 <= U < 6	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02
6 <= U < 10	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02
10 <= U	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02

WASH-OUT COEFFICIENT

PRECIPITATION (MM/H)	LD(S-1)	TIME(SEC)
P < 1	4.20E-05	1652
1 <= P <= 3	1.06E-04	2529
3 < P	2.33E-04	2232

OUTDEP = OUTPUT

WIND PARAMETER DUMP

WINDDATA: XTOWN , HOUR 2972

TIME = 08:0 DATE = 08-MAY-75 ITSP = 3600 SEC
NP = 8 NFX = 81 NFY = 81
NSTL = 3 NSKIP = 0 K1ST = 0
RTE = 0.0 (DEG.) RCH = 500.0 (E.U.)

NAME	X GU	Y GU	COR DEG	CONFAC	ALIGN DEG	ISXMIN GU	ISXMAX GU	ISYMIN GU	ISYMAX GU
FCIT	65.8	116.5	0.	1.0	0.0	1	100	1	100
WCIT	264.7	54.2	0.	1.0	0.0	100	100	1	67
SCIT	154.9	-187.5	0.	1.0	0.0	1	100	1	25
OCIT	200.8	-72.4	0.	1.0	0.0	100	100	1	1
TOWN	-148.8	-65.5	0.	1.0	0.0	1	1	1	100
TCIT	-210.7	54.9	0.	1.0	0.0	1	1	1	100
KCIT	-137.2	301.3	0.	1.0	0.0	1	1	100	100
MONT	188.2	394.5	0.	1.0	0.0	100	100	100	100


STABILITY INDEX ARRAY (JF 1.64)

[illegible]

STABILITY INDEX ARRAY (CONTINUATION: J=65,JROWS)





STATION	NO.
FCIT	1
WCIT	2
SCIT	3
OCIT	4
TOWN	5
ICIT	6
XCIT	7
MONT	8

UNDEFINED AREA = 0

TIMESTEP NO = 1

OBSERVATION TIME: 19:00

STATION	DIRECTION (DEG.)	VELOCITY (M/S)	STABILITY (-Y)	STABILITY (-Z)	RAIN (MM/H)
FCIT	50.	5.1	D	D	0.18
WCIT	360.	3.3	D	D	0.00
SCIT	40.	4.1	D	D	0.00
OCIT	60.	3.9	D	D	0.00
TOWN	45.	5.1	D	D	0.09
TCIT	60.	6.2	D	D	0.18
KCIT	20.	2.6	D	D	0.18
MONT	50.	4.1	D	D	0.18

STATION	U (M/S)	V (M/S)	RAIN (MM/H)
FCIT	-3.9	-3.3	0.18
WCIT	0.0	-3.3	0.00
SCIT	-2.6	-3.1	0.00
OCIT	-3.4	-2.0	0.00
TOWN	-3.3	-4.5	0.09
TCIT	-5.4	-3.1	0.18
KCIT	-0.9	-2.4	0.18
MONT	-3.1	-2.6	0.18

* TIMESTEP NO. 1 : ZM = 609.0 => ZMG = 6


**** WIND-DIRECTION AT SOURCE: 47.317749935
**** AT TIME = 3C SEC
3600 SEC - AFTER START OF RELEASE
TOT. 120 PUFFS RELEASED AND 4 HAVE LEFT THE GRID



```
TIMESTEP NO = 2

OBSERVATION TIME: 20:00

STATION DIRECTION VELOCITY STABILITY RAIN
                 (DEG.)  (KM/H)  (1-7)   (MM/H)
FCIT          3   0.0    0.0     0.0     0.0
MSCC         36   0.0    0.0     0.0     0.0
ITMM        360   0.0    0.0     0.0     0.0
KCCI        360   0.0    0.0     0.0     0.0

STATION (M/S) (M/S) (MM/H)
=======  ====  ====  ======
FCIT      0.0   0.0     0.0
MSCC      0.0   0.0     0.0
ITMM      0.0   0.0     0.0
KCCI      0.0   0.0     0.0
=======  ====  ====  ======

* TIMESTEP NO. 2 : ZM2 = 600.0 <= ZM3 = 6
```

7200 SEC. AFTER START OF RELEASE
TOT. 120 PUFFS RELEASED AND 120 HAVE LEFT THE GRID

	34	35	36	37	38	39	40	41	42	43	44	45
***	Z-PLAN NO = 1 *** DOSE (GS/M**3) ********											
16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
17	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
18	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
19	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
20	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
21	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
22	3.372E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
23	1.298E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
24	4.185E-05	4.560E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
25	1.283E-04	1.777E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
26	3.815E-04	6.054E-05	5.650E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
27	1.108E-03	2.013E-04	2.326E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
28	3.098E-03	6.505E-04	8.825E-05	6.392E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
29	8.206E-03	2.046E-03	3.242E-04	3.090E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
30	2.006E-02	6.150E-03	1.159E-03	1.284E-04	6.431E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
31	4.373E-02	1.717E-02	4.086E-03	5.435E-04	3.644E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
32	8.115E-02	4.270E-02	1.343E-02	2.272E-03	1.866E-04	5.601E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
33	1.211E-01	9.945E-02	3.956E-02	5.136E-03	9.618E-04	4.002E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
34	1.352E-01	1.461E-01	9.730E-02	3.349E-02	4.950E-03	2.631E-04	3.552E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
35	1.047E-01	1.666E-01	1.803E-01	1.025E-01	2.411E-02	1.815E-03	3.426E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
36	5.311E-02	1.228E-01	2.186E-01	2.217E-01	1.000E-01	1.277E-02	3.280E-04	1.660E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00
37	1.731E-02	5.143E-02	1.456E-01	2.979E-01	2.925E-01	8.196E-02	3.612E-03	1.466E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
38	3.436E-03	1.191E-02	4.554E-02	1.724E-01	4.345E-01	3.733E-01	4.344E-02	2.485E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
39	3.337E-04	1.360E-03	6.156E-03	3.327E-02	1.969E-01	7.009E-01	4.292E-01	6.528E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
40	1.195E-05	5.360E-05	2.832E-04	1.780E-03	1.549E-02	1.521E-01	1.341E+00	2.636E-01	9.655E-06	0.000E+00	0.000E+00	0.000E+00
41	7.442E-08	4.924E-07	2.663E-06	1.585E-05	1.372E-04	2.067E-03	8.931E-02	3.947E+00	5.002E-04	0.000E+00	0.000E+00	0.000E+00
42	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.552E-08	3.082E-07	2.777E-06	1.038E-04	8.140E-05	0.000E+00	0.000E+00	0.000E+00
43	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
44	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
45	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
46	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
47	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
48	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
49	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
50	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
51	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
52	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
53	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
54	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
55	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
56	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
57	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
58	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
59	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
60	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
61	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
62	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
63	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
64	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*** DEPOSITION : *** DOSE (GS/M**2) ***

	34	35	36	37	38	39	40	41	42	43	44	45
16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
17	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
18	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
19	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
20	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
21	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
22	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
23	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
24	3.370E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
25	1.235E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
26	8.509E-06	6.990E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
27	2.752E-05	3.346E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
28	8.024E-05	1.506E-05	1.274E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
29	2.164E-04	5.241E-05	7.132E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
30	5.346E-04	1.601E-04	2.932E-05	2.120E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
31	1.174E-03	4.481E-04	1.041E-04	1.307E-05	2.041E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
32	2.200E-03	1.114E-03	3.408E-04	5.616E-05	3.468E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
33	3.328E-03	2.330E-03	9.938E-04	2.233E-04	2.252E-05	2.492E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
34	3.823E-03	3.818E-03	2.415E-03	8.026E-04	1.154E-04	5.368E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
35	3.139E-03	4.482E-03	4.437E-03	2.399E-03	5.457E-04	3.979E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
36	1.766E-03	3.430E-03	5.404E-03	5.218E-03	2.185E-03	2.700E-04	6.318E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
37	6.563E-04	1.554E-03	3.747E-03	6.768E-03	5.170E-03	1.652E-03	7.058E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
38	1.425E-04	4.227E-04	1.304E-03	4.039E-03	9.954E-03	7.155E-03	7.992E-04	4.026E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00
39	1.396E-05	5.177E-05	2.024E-04	8.731E-04	4.144E-03	1.291E-02	7.374E-03	1.085E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
40	4.466E-07	2.064E-06	5.552E-06	5.338E-05	3.701E-04	3.582E-03	2.171E-02	4.010E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
41	0.000E+00	0.000E+00	6.120E-08	4.789E-07	3.419E-06	4.472E-05	1.461E-03	5.571E-02	6.849E-06	0.000E+00	0.000E+00	0.000E+00
42	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.084E-08	1.285E-06	2.444E-06	0.000E+00	0.000E+00	0.000E+00
43	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
44	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
45	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
46	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
47	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
48	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
49	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
50	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
51	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
52	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
53	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
54	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
55	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
56	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
57	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
58	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
59	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
60	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
61	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
62	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
63	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
64	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*** ARRIVAL TIMES (SEC) ***

	1	2	3	4	5	6	7	8	9	10	11	12
1	2790	2760	2700	2670	2640	2610	2580	2550	2520	2520	2520	2520
2	2760	2730	2670	2640	2610	2580	2550	2520	2490	2460	2430	2430
3	2730	2700	2640	2610	2580	2520	2490	2460	2430	2400	2400	2370
4	2700	2670	2610	2580	2520	2490	2460	2430	2400	2370	2340	2310
5	2670	2640	2580	2550	2490	2460	2430	2400	2340	2310	2310	2280

6	2670	2610	2550	2520	2460	2430	2400	2340	2310	2280	2250	2220
7	2640	2580	2520	2490	2430	2400	2340	2310	2280	2250	2220	2190
8	2640	2580	2520	2460	2400	2370	2310	2280	2250	2190	2160	2130
9	2640	2580	2490	2430	2400	2340	2280	2250	2220	2160	2130	2100
10	2640	2580	2490	2430	2370	2310	2280	2220	2190	2130	2100	2070
11	2640	2580	2490	2430	2370	2280	2250	2190	2160	2100	2070	2010
12	2640	2580	2490	2430	2370	2280	2220	2160	2130	2070	2040	1980
13	2640	2580	2490	2430	2370	2280	2220	2160	2100	2040	2010	1950
14	2640	2580	2490	2430	2370	2280	2220	2160	2070	2040	1980	1920
15	2640	2580	2490	2430	2370	2280	2220	2160	2070	2010	1950	1890
16	2670	2580	2490	2430	2370	2280	2220	2160	2070	2010	1950	1890
17	2730	2610	2490	2430	2370	2280	2220	2160	2070	2010	1950	1860
18	2880	2670	2550	2430	2370	2280	2220	2160	2070	2010	1950	1860
19	3530	3660	2640	2490	2370	2280	2220	2160	2070	2010	1950	1860
20	4320	4050	3760	2610	2460	2340	2220	2160	2070	2010	1950	1860
21	4650	4380	4140	387	2640	2400	2280	2160	2070	2010	1950	1860
22	4950	4710	4470	4230	3960	3690	2370	2220	2100	2010	1950	1860
23	5220	5010	4770	4560	4320	4050	3810	2370	2160	2040	1950	1860
24	5490	5280	5070	4950	4620	4380	4140	3900	3660	2130	2010	1890
25	5730	5550	5340	5130	4920	4710	4470	4230	4020	3790	2130	1950
26	5970	5790	5580	5400	5190	4980	4770	4560	4320	4110	3870	3630
27	6210	6000	5820	5640	5430	5250	5040	4930	4620	4410	4200	3960
28	0	0	6060	5880	5670	5490	5310	5100	4890	4710	4500	4290
29	0	0	0	0	5910	5730	5550	5340	5160	4980	4770	4560
30	0	0	0	0	0	0	5760	5580	5400	5220	5040	4830
31	0	0	0	0	0	0	0	0	5640	5460	5280	5100
32	0	0	0	0	0	0	0	0	0	0	5520	5340
33	0	0	0	0	0	0	0	0	0	0	0	0
34	0	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0	0
36	0	0	0	0	0	0	0	0	0	0	0	0
37	0	0	0	0	0	0	0	0	0	0	0	0
38	0	0	0	0	0	0	0	0	0	0	0	0
39	0	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0	0
41	0	0	0	0	0	0	0	0	0	0	0	0
42	0	0	0	0	0	0	0	0	0	0	0	0
43	0	0	0	0	0	0	0	0	0	0	0	0
44	0	0	0	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0	0	0	0
46	0	0	0	0	0	0	0	0	0	0	0	0
47	0	0	0	0	0	0	0	0	0	0	0	0
48	0	0	0	0	0	0	0	0	0	0	0	0
49	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0
51	0	0	0	0	0	0	0	0	0	0	0	0
52	0	0	0	0	0	0	0	0	0	0	0	0
53	0	0	0	0	0	0	0	0	0	0	0	0
54	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0
56	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0
58	0	0	0	0	0	0	0	0	0	0	0	0
59	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0
61	0	0	0	0	0	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0	0
63	0	0	0	0	0	0	0	0	0	0	0	0
64	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0


ARRIVAL TIMES

41	0	0	0	0	0	0	0	0	0	0	0	0
42	0	0	0	0	0	0	0	0	0	0	0	0
43	0	0	0	0	0	0	0	0	0	0	0	0
44	0	0	0	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0	0	0	0
46	0	0	0	0	0	0	0	0	0	0	0	0
47	0	0	0	0	0	0	0	0	0	0	0	0
48	0	0	0	0	0	0	0	0	0	0	0	0
49	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0
51	0	0	0	0	0	0	0	0	0	0	0	0
52	0	0	0	0	0	0	0	0	0	0	0	0
53	0	0	0	0	0	0	0	0	0	0	0	0
54	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0
56	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0
58	0	0	0	0	0	0	0	0	0	0	0	0
59	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0
61	0	0	0	0	0	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0	0
63	0	0	0	0	0	0	0	0	0	0	0	0
64	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0
66	0	0	0	0	0	0	0	0	0	0	0	0
67	0	0	0	0	0	0	0	0	0	0	0	0
68	0	0	0	0	0	0	0	0	0	0	0	0
69	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0
71	0	0	0	0	0	0	0	0	0	0	0	0
72	0	0	0	0	0	0	0	0	0	0	0	0
73	0	0	0	0	0	0	0	0	0	0	0	0
74	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0
76	0	0	0	0	0	0	0	0	0	0	0	0
77	0	0	0	0	0	0	0	0	0	0	0	0
78	0	0	0	0	0	0	0	0	0	0	0	0
79	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0
81	0	0	0	0	0	0	0	0	0	0	0	0

*** ARRIVAL TIMES (SEC) ***

	25	26	27	28	29	30	31	32	33	34	35	36
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	2250	0	0	0	0	0	0	0	0	0	0	0
8	2130	2250	0	0	0	0	0	0	0	0	0	0
9	2010	2100	0	0	0	0	0	0	0	0	0	0
10	1920	1990	2070	0	0	0	0	0	0	0	0	0
11	1830	1860	1920	2190	0	0	0	0	0	0	0	0
12	1770	1770	1830	1890	0	0	0	0	0	0	0	0
13	1710	1710	1710	1770	1890	0	0	0	0	0	0	0
14	1650	1650	1650	1680	1740	0	0	0	0	0	0	0
15	1560	1560	1560	1590	1620	1710	0	0	0	0	0	0




ARRIVAL TIMES (SEC)


ARRIVAL TIMES (SEC)
49
50
51
52
53
54
55
56
57
58
59
60


61
62
63
64
65
66
67
68
69
70
71
72
** ARRIVAL TIMES (SEC) **

1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0	0	0	0	0	0
33	0	0	0	0	0	0	0	0	0	0	0	0
34	0	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0	0
36	0	0	0	0	0	0	0	0	0	0	0	0
37	0	0	0	0	0	0	0	0	0	0	0	0
38	0	0	0	0	0	0	0	0	0	0	0	0
39	0	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0	0
41	0	0	0	0	0	0	0	0	0	0	0	0
42	0	0	0	0	0	0	0	0	0	0	0	0
43	0	0	0	0	0	0	0	0	0	0	0	0
44	0	0	0	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0	0	0	0
46	0	0	0	0	0	0	0	0	0	0	0	0
47	0	0	0	0	0	0	0	0	0	0	0	0
48	0	0	0	0	0	0	0	0	0	0	0	0
49	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0
51	0	0	0	0	0	0	0	0	0	0	0	0
52	0	0	0	0	0	0	0	0	0	0	0	0
53	0	0	0	0	0	0	0	0	0	0	0	0
54	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0
56	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0
58	0	0	0	0	0	0	0	0	0	0	0	0
59	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0

ARRIVAL TIMES (SEC)
73
74
75
76
77
78
79
80
81

[illegible]

8.2. Example no. 2

The files INDATA and WINDDA are as shown below:

8.2.1. INDATA file

```
&PRIMDA
TITLE='DEMO 1. DRY AND WET DEPOSITION  ',
ICOLS=100,JROWS=64,KPLANS=1,DELX=500.,DELY=500.,DELZ=30.,
TDEL=0.0,CHEMIN=0.1E-15,NTADV=60,TAU=60,MAPTIM=900,REFLEC=1.,
NRELSE=9999,IDMP=1,JDMP=26,KDMP=1,ISMODE=1,ITAPIN=0,
KOORD=0,XUTM=332.7609,YUTM=5381.6323,
INPRNT='YES',OUTDAT='OUTPUT',OUTMOD='DOSE',OUTWFD='NOOUTP'
INPRNT='YES',OUTDAT='OUTPUT',OUTMOD='DOSE',OUTWFD='NOOUTP'
&END
&RELDAT
PUFFTX='SOURCEHEIGTH=100 METERS, SOURCESTRENGTH=1/3600',
NRMULT=1,
XSOURC(1)=0.0,YSOURC(1)=32.0,ZSOURC(1)=3.3333,
STRTRL(1)=0,STOPRL(1)=3600,SOURST(1)=277.77777778,HEATFX(1)=0.,
&END
&STABDA
STABTX='MIXING HEIGHT VARIES WITH STABILITY .',
DTDZ=0.,ZMTAB(1)=1620.0,ZMTAB(2)=1200.,ZMTAB(3)=810.,
ZMTAB(4)=570.,ZMTAB(5)=330.,ZMTAB(6)=210.,
DSHEAR=0,ALFSHE=-5.0,HSHEMI=0.0,HSHEMA=200.0,
USH=0,USTAR=0.1397,LMOBUK=44.64,ZROUGH=0.1,DZERO=0.0,
DUSDUM=0,
DEPMOD=1,OUTDEP='OUTPUT',
VDTAB(1,1)=0.010,VDTAB(2,1)=0.010,VDTAB(3,1)=0.010,
VDTAB(4,1)=0.010,VDTAB(5,1)=0.010,VDTAB(6,1)=0.010,
VDTAB(1,2)=0.010,VDTAB(2,2)=0.010,VDTAB(3,2)=0.010,
VDTAB(4,2)=0.010,VDTAB(5,2)=0.010,VDTAB(6,2)=0.010,
VDTAB(1,3)=0.010,VDTAB(2,3)=0.010,VDTAB(3,3)=0.010,
```

```
VDTAB(4,3)=0.010,VDTAB(5,3)=0.010,VDTAB(6,3)=0.010,
VDTAB(1,4)=0.010,VDTAB(2,4)=0.010,VDTAB(3,4)=0.010,
VDTAB(4,4)=0.010,VDTAB(5,4)=0.010,VDTAB(6,4)=0.010,
VDTAB(1,5)=0.010,VDTAB(2,5)=0.010,VDTAB(3,5)=0.010,
VDTAB(4,5)=0.010,VDTAB(5,5)=0.010,VDTAB(6,5)=0.010,
LDTAB(1)=0.000042,LDTAB(2)=0.000106,LDTAB(3)=0.000233,
TIMRAI(1)=1692,TIMRAI(2)=2628,TIMRAI(3)=2232
&END
```

8.2.2. WINDDA file

```
&WINPAR
WNDTLE='WINDDATA (CONSTANT WIND) FOR KFK-INTERCOMP. TEST',
TIME=' 12:00',DATE='25-MAR-85',ITSP=1800,
NP=1,NFX=100,NFY=64,NSTL=1,NSKIP=0,
RTE=0.,RCH=100.,
NAMST(1)='RIS',X(1)=0.,Y(1)=32.,COR(1)=0.,CONFAC(1)=1.0000,
A(1)=0.,ISXMIN(1)=1,ISXMAX(1)=100,ISYMIN(1)=1,ISYMAX(1)=64,
&END
' 12:00'
'RIS','D','D',270.,5.00,0.0
'EOWR'
' 12:30'
'RIS','D','D',270.,5.00,0.0
'EOWR'
' 13:00'
'RIS','D','D',270.,5.00,0.0
'EOWR'
' 13:30'
'RIS','D','D',270.,5.00,2.0
'EOWR'
' 14:00'
'RIS','D','D',270.,5.00,0.0
'EOWR'
' 14:30'
'RIS','D','D',270.,5.00,0.0
'EOWR'
' 15:00'
'RIS','D','D',270.,5.00,0.0
'EOWR'
' 15:30'
'RIS','D','D',270.,5.00,0.0
'EOWR'
' 16:00'
```

```
'RIS','D','D',270.,5.00,0.0
'EOWR'
' 16:30'
'RIS','D','D',270.,5.00,0.0
'STOP'
```

The output from this example is shown on the following pages.


Z-plan 0.00 MaxD: 6.86E-01 GS/C Different times
Example 2 from Users Guide
Time 7200 sec (MAPTIM = 8)
15 of 60 puffs left in grid
Isodosecurves for air
Puff positions. Puff centre : green
310 300 290 280 270 260 250 240 230 220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0
0 25 50 75 100 125 150 175 200 225 250 275 300 325 350 375 400 425 450 475


Ground 0.00 MaxD: 6.86E-03 GS/A Different times
Example 2 from Users Guide
Time 7200 sec (MAPTIM = 8)
Isodosecurves for ground
15 of 60 puffs left in grid
Puff positions. Puff centre : green
310 300 290 280 270 260 250 240 230 220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0
0 25 50 75 100 125 150 175 200 225 250 275 300 325 350 375 400 425 450 475



```
#NEWS    OKT.29.85   11:09  : 8 FEJL I FORTRAN-77 RETTET.
##########################################################
#   DEN NYESTE VERSION AF FORTRAN-77 ER NU SAT I DRIFT.  #
#   8 KENDTE FEJL ER FORSVUNDET.                         #
#   FOR NAERMERE DETALJER HENVISES TIL INFO-FILEN        #
#   *INFO/FORTRAN77.                                     #
##########################################################
```

DATE: OCT 29, 1985 18:50:43, SYSTEM SERIAL: 129, B7800 MCP: SYSTEM/MCP851010/FMLYINX001. 35.220.2977

W O R K F L O W S T A T E M E N T S

```
0C000100  BEGIN JOB DEMO4A;CLASS=0;CHARGE=1025601;
0C000200  MAXPROCTIME=3600;MAXIOTIME=900;MAXLINES=15000;
0C000300   RUN OBJECT/VER8K3/B/RIMPUFF;
0C000400   FILE FILE1=VER8K3/INDATA/DEMO4;
0C000500   FILE FILE2=VER8K3/WINDOA/DIT4A;
0C000600   FILE FILE10=V8K3/OUTAIR/DEMO4A;
0C000700   FILE FILE11=V8K3/OUTDEP/DEMO4A;
00000800   FILE FILE12=V8K3/WFIELD/DEMO4A;
00000880   FILE FILE20=V8K3/KFKTAP/DEMO4A;
0C000900   ?END JOB;
```

J O B S U M M A R Y

```
OCT 29, 1985
   18:25:33    BOJ  9851  DEMO4A,
                          JOB ENTERED SYSTEM: OCT 29, 1985 09:45:13 FROM WFL 35.200
```

```
                    QUEUE: 0
                    ORIGINATING LSN: 51  MCS: 1
                    PRIORITY: 30
                    USERCODE: FYSNYREEN.
                    CHARGECODE: 1025601.

18:25:34    BOT  2765  (FYSNYREEN)OBJECT/VER8K3/8/RIMPUFF ON USERPACK.
                       CODE COMPILED: OCT 28, 1985 12:58:32 BY FORTRAN77 36.120
                       TASK TYPE: COROUTINE(CALL)
                       PRIORITY: 30
                       USERCODE: FYSNYREEN.
                       CHARGECODE: 1025601.
18:25:34         2765  STACK EXTENDED FROM 688 TO 878 WORDS.
18:25:38         2765  STACK EXTENDED FROM 878 TO 985 WORDS.
18:50:42    EOT  2765  (FYSNYREEN)OBJECT/VER8K3/8/RIMPUFF ON USERPACK.
                       PROCESSOR TIME: 00:23:02.232   USERCODE: FYSNYREEN.
                       I/O       TIME: 00:00:08.670   CHARGECODE: 1025601.
                       READYQ    TIME: 00:00:36.110   LINES PRINTED: 2142.
                       INITPBIT  TIME: 00:00:04.556   AVERAGE MEMORY USAGE: CODE=5544, DATA=244095
                       OTHERPBIT TIME: 00:00:04.429   MEMORY INTEGRAL: CODE=7711.846, DATA=339512.636
                       ELAPSED   TIME: 00:25:08.312   DATA & CODE ALLOWED IN & OCCUPIED: GLOBAL.
                                                      INITIAL PBITS: 1704, OTHER PBITS: 1062.

18:50:43    EOJ  9851  DEMO4A.
                       PROCESSOR TIME: 00:00:00.078   USERCODE: FYSNYREEN.
                       I/O       TIME: 00:00:00.159   CHARGECODE: 1025601.
                       READYQ    TIME: 00:00:00.015   AVERAGE MEMORY USAGE: CODE=41, DATA=995
                       INITPBIT  TIME: 00:00:00.030   MEMORY INTEGRAL: CODE=0.010, DATA=0.237
                       OTHERPBIT TIME: 00:00:00.002   DATA & CODE ALLOWED IN & OCCUPIED: GLOBAL.
                       ELAPSED   TIME: 00:25:09.541   INITIAL PBITS: 27, OTHER PBITS: 1.
```

```
 SOURCEHEIGTH=100 METERS, SOURCESTRENGTH=1/3600

CURRENT SOURCEDATA : NUMBER OF ACTIVE SOURCES :    1
   1   0.00 32.00   3.33          0       3600********** 0.000000000

    ZHGT = 99.999
```

DEMO 1. DRY AND WET DEPOSITION

KEY PARAMETER FOR CURRENT RUN:

NRELSE =	9999				
ICOLS =	100	JROWS =	64	KPLANS =	1
NTADV =	60	MAPTIM =	900	TAU =	60
DELX =	500.00	DELY =	500.00	DELZ =	30.00
CHEMIN =	0.1000E-15	REFLEC =	1.00000	TDEL =	0
IDMP =	1	JDMP =	26	KDMP =	1

ISMODE = 1

INFRNT = YES

OUTDAT = OUTPUT OUTMOD = DOSE

OUTWFD = NOOUTP
KFNTAPE= 0 (0 = NO, 1<= YES)

* COORDINATES FOR SOURCE AND WINDSTATIONS IN GRID-UNITS (GDU)

THE MIXING LAYER IS LIMITED AT: 1520.00 METERS IN STABILITY CAT. 1

```
THE MIXING LAYER IS LIMITED AT:    1200.00 METERS IN STABILITY CAT    2
THE MIXING LAYER IS LIMITED AT:     810.00 METERS IN STABILITY CAT    3
THE MIXING LAYER IS LIMITED AT:     570.00 METERS IN STABILITY CAT    4
THE MIXING LAYER IS LIMITED AT:     330.00 METERS IN STABILITY CAT    5
THE MIXING LAYER IS LIMITED AT:     210.00 METERS IN STABILITY CAT    6
```

IN THE CURRENT RUN, THE STABILITY-CLASSES ARE
CONNECTED TO INTENSITY DATA AS FOLLOWS:
STABILITY CLASS NO.: 1 2 3 4 5 6
INTENSITY DATA : 0.42 0.34 0.26 0.17 0.09 0.04

MIXING HEIGHT VARIES WITH STABILITY .

IN THE CURRENT RUN, THE POTENTIAL TEMPERATURE
GRADIENT IS SET TO: 0.0000

NO WIND SHEAR

DEPOSITION PARAMETERS

DRY DEPOSITION PARAMETER, VD (M/S)

WINDSPEED (M/S)	A	B	C	D	E	F
U < 1	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02
1 <= U < 3	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02
3 <= U < 6	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02
6 <= U < 10	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02
10 <= U	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02	1.0E-02

WASH-OUT COEFFICIENT

PRECIPITATION (MM/H)	LD(S-1)	TIME(SEC)
P < 1	4.20E-05	1692
1 <= P <= 3	1.06E-04	2928
3 < P	2.33E-04	2232

OUTDEP = OUTPUT

FRAME FOR PUFF ADVECTION:
X: 0 => 99 , Y: 0 => 63

THE MIXING LAYER IS LIMITED AT: 1520.00 METERS IN STABILITY CAT 1

WIND PARAMETER DUMP

WINDDATA (CONSTANT WIND) FOR KFK-INTERCOMP. TEST

TIME = 12:0 DATE = 25-MAR-85 ITSP = 1800 SEC
NP = 1 NFX = 100 NFY = 64
NSTL = 1 NSKIP = 0 K1ST = 0
RTE = 0.0 (DEG.) RCH = 100.0 (G.U.)

NAME	X GU	Y GU	COR DEG	CONFAC	ALIGN DEG	ISXMIN GU	ISXMAX GU	ISYMIN GU	ISYMAX GU
KFK	0.0	32.0	0.	1.0	0.0	1	100	1	54


STABILITY INDEX ARRAY (J= 1,64)


STATION NO.
KFK 1
UNDEFINED AREA = 0

```
     TIMESTEP NO = 1
     OBSERVATION TIME:  12:0
     STATION DIRECTION VELOCITY    STABILITY   RAIN
             (DEG.)    (M/S)     (-Y) (-Z)   (MM/H)
     KFK       270.      5.0       D    D     0.00

 STATION   U       V       RAIN
           (M/S)  (M/S)    (MM/H)
 ==========================================
KFK        5.0     0.0     0.00
 * TIMESTEP NO. 1 : ZM = 570.0 => ZMG = 19
```

```
 *> (1.3126525113 , 32.0) DISTANCE: 656.32625566
 *> U= 10.938770928   V= 0.0


900 SEC. AFTER START OF RELEASE
TOT. 15 PUFFS RELEASED AND 0 HAVE LEFT THE GRID
================================================
```

*** Z-PLAN NO = 1 *** DOSE (GS/M**3) ******	26	27	28	29	30	31	32	33	34	35	36	37
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.183E-11	4.507E-07	4.080E-04	4.040E-03	4.080E-04	4.507E-07	5.183E-11	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	1.220E-11	1.827E-08	2.979E-05	1.768E-02	1.712E-01	1.768E-02	2.979E-05	1.827E-08	1.220E-11
3	0.000E+00	0.000E+00	2.632E-12	1.348E-09	7.901E-07	3.140E-04	2.363E-02	1.348E-01	2.363E-02	3.140E-04	7.801E-07	1.348E-09
4	0.000E+00	5.531E-13	1.472E-10	4.022E-08	9.440E-06	1.079E-03	3.295E-02	1.141E-01	3.295E-02	1.079E-03	9.440E-06	4.022E-08
5	5.645E-14	2.087E-11	3.249E-09	4.743E-07	4.846E-05	2.351E-03	3.140E-02	7.329E-02	3.140E-02	2.351E-03	4.846E-05	4.743E-07
6	3.487E-12	3.593E-10	3.536E-08	2.857E-06	1.482E-04	3.557E-03	2.876E-02	5.989E-02	2.876E-02	3.557E-03	1.482E-04	2.857E-06
7	4.981E-11	3.543E-09	2.239E-07	1.073E-05	3.175E-04	4.594E-03	2.568E-02	4.653E-02	2.568E-02	4.594E-03	3.175E-04	1.073E-05
8	4.433E-10	2.235E-08	9.398E-07	2.871E-05	5.405E-04	5.232E-03	2.210E-02	3.524E-02	2.210E-02	5.232E-03	5.405E-04	2.871E-05
9	2.708E-09	9.872E-08	2.883E-06	6.000E-05	7.791E-04	5.515E-03	1.888E-02	2.874E-02	1.888E-02	5.515E-03	7.791E-04	6.000E-05
10	1.212E-08	3.279E-07	6.942E-06	1.042E-04	9.991E-04	5.507E-03	1.597E-02	2.293E-02	1.597E-02	5.507E-03	9.991E-04	1.042E-04
11	4.188E-08	8.660E-07	1.383E-05	1.575E-04	1.173E-03	5.278E-03	1.341E-02	1.840E-02	1.341E-02	5.278E-03	1.173E-03	1.575E-04
12	1.167E-07	1.897E-06	2.371E-05	2.131E-04	1.287E-03	4.904E-03	1.119E-02	1.480E-02	1.119E-02	4.904E-03	1.287E-03	2.131E-04
13	2.707E-07	3.558E-06	3.593E-05	2.640E-04	1.337E-03	4.438E-03	9.276E-03	1.190E-02	9.276E-03	4.438E-03	1.337E-03	2.640E-04
14	5.367E-07	5.848E-06	4.909E-05	3.037E-04	1.325E-03	3.920E-03	7.617E-03	9.527E-03	7.617E-03	3.920E-03	1.325E-03	3.037E-04
15	9.248E-07	8.560E-06	6.126E-05	3.271E-04	1.258E-03	3.379E-03	6.177E-03	7.557E-03	6.177E-03	3.379E-03	1.258E-03	3.271E-04
16	1.400E-06	1.126E-05	7.030E-05	3.312E-04	1.145E-03	2.834E-03	4.923E-03	5.927E-03	4.923E-03	2.834E-03	1.145E-03	3.312E-04
17	1.871E-06	1.336E-05	7.429E-05	3.149E-04	9.955E-04	2.301E-03	3.829E-03	4.543E-03	3.829E-03	2.301E-03	9.955E-04	3.149E-04
18	2.205E-06	1.425E-05	7.198E-05	2.795E-04	8.200E-04	1.791E-03	2.876E-03	3.371E-03	2.876E-03	1.791E-03	8.200E-04	2.795E-04
19	2.276E-06	1.357E-05	6.338E-05	2.290E-04	6.323E-04	1.318E-03	2.056E-03	2.386E-03	2.056E-03	1.318E-03	6.323E-04	2.290E-04
20	2.041E-06	1.140E-05	5.004E-05	1.708E-04	4.490E-04	9.018E-04	1.374E-03	1.583E-03	1.374E-03	9.018E-04	4.490E-04	1.708E-04
21	1.570E-06	8.344E-06	3.487E-05	1.138E-04	2.880E-04	5.619E-04	8.409E-04	9.622E-04	8.409E-04	5.619E-04	2.880E-04	1.138E-04
22	1.024E-06	5.237E-06	2.108E-05	6.650E-05	1.635E-04	3.120E-04	4.604E-04	5.243E-04	4.604E-04	3.120E-04	1.635E-04	6.650E-05
23	5.594E-07	2.780E-06	1.088E-05	3.346E-05	8.049E-05	1.511E-04	2.206E-04	2.504E-04	2.206E-04	1.511E-04	8.049E-05	3.346E-05
24	2.530E-07	1.231E-06	4.722E-06	1.425E-05	3.374E-05	6.255E-05	9.066E-05	1.026E-04	9.066E-05	6.255E-05	3.374E-05	1.425E-05
25	9.375E-08	4.494E-07	1.699E-06	5.058E-06	1.184E-05	2.176E-05	3.137E-05	3.544E-05	3.137E-05	2.176E-05	1.184E-05	5.058E-06
26	2.821E-08	1.338E-07	5.008E-07	1.477E-06	3.430E-06	6.267E-06	8.999E-06	1.015E-05	8.999E-06	6.267E-06	3.430E-06	1.477E-06
27	6.844E-09	3.223E-08	1.198E-07	3.511E-07	8.110E-07	1.475E-06	2.113E-06	2.382E-06	2.113E-06	1.475E-06	8.110E-07	3.511E-07
28	1.330E-09	6.234E-09	2.306E-08	6.732E-08	1.549E-07	2.811E-07	4.019E-07	4.528E-07	4.019E-07	2.811E-07	1.549E-07	6.732E-08
29	2.060E-10	9.629E-10	3.552E-09	1.034E-08	2.375E-08	4.301E-08	6.143E-08	6.919E-08	6.143E-08	4.301E-08	2.375E-08	1.034E-08
30	2.536E-11	1.183E-10	4.357E-10	1.266E-09	2.904E-09	5.254E-09	7.500E-09	8.444E-09	7.500E-09	5.254E-09	2.904E-09	1.266E-09
31	2.474E-12	1.153E-11	4.242E-11	1.232E-10	2.822E-10	5.103E-10	7.281E-10	8.197E-10	7.281E-10	5.103E-10	2.822E-10	1.232E-10
32	1.902E-13	8.855E-13	3.272E-12	9.494E-12	2.174E-11	3.930E-11	5.606E-11	6.311E-11	5.606E-11	3.930E-11	2.174E-11	9.494E-12
33	1.163E-14	5.416E-14	1.990E-13	5.770E-13	1.321E-12	2.386E-12	3.403E-12	3.830E-12	3.403E-12	2.386E-12	1.321E-12	5.770E-13
34	0.000E+00	0.000E+00	9.605E-15	2.785E-14	6.376E-14	1.152E-13	1.643E-13	1.849E-13	1.643E-13	1.152E-13	6.376E-14	2.785E-14
35	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
36	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
37	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
38	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
39	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
40	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
41	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
42	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
43	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
44	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
45	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
46	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
47	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
48	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
49	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

	26	27	28	29	30	31	32	33	34	35	36	37	
***	DEPOSITION :		*** DOSE (GS/M**2) *******										
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.692E-13	4.507E-09	4.080E-06	4.040E-05	4.080E-06	4.507E-09	4.692E-13	0.000E+00	
2	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.827E-10	2.979E-07	1.768E-04	1.712E-03	1.768E-04	2.979E-07	1.827E-10	0.000E+00	
3	0.000E+00	0.000E+00	0.000E+00	1.347E-11	7.801E-09	3.140E-06	2.363E-04	1.348E-03	2.363E-04	3.140E-06	7.801E-09	1.347E-11	
4	0.000E+00	0.000E+00	1.401E-12	4.021E-10	9.440E-08	1.079E-05	3.295E-04	1.141E-03	3.295E-04	1.079E-05	9.440E-08	4.021E-10	
5	0.000E+00	8.996E-14	3.239E-11	4.743E-09	4.846E-07	2.351E-05	3.140E-04	7.529E-04	3.140E-04	2.351E-05	4.846E-07	4.743E-09	
6	0.000E+00	3.567E-12	3.535E-10	2.857E-08	1.482E-06	3.557E-05	2.876E-04	5.989E-04	2.876E-04	3.557E-05	1.482E-06	2.857E-08	
7	4.187E-13	3.542E-11	2.239E-09	1.073E-07	3.175E-06	4.594E-05	2.568E-04	4.653E-04	2.568E-04	4.594E-05	3.175E-06	1.073E-07	
8	4.41CE-12	2.235E-10	9.398E-09	2.871E-07	5.405E-06	5.232E-05	2.210E-04	3.624E-04	2.210E-04	5.232E-05	5.405E-06	2.871E-07	
9	2.707E-11	9.872E-10	2.883E-08	6.000E-07	7.791E-06	5.515E-05	1.888E-04	2.874E-04	1.888E-04	5.515E-05	7.791E-06	6.000E-07	
10	1.212E-10	3.279E-09	6.942E-08	1.042E-06	9.991E-06	5.507E-05	1.597E-04	2.293E-04	1.597E-04	5.507E-05	9.991E-06	1.042E-06	
11	4.187E-10	8.660E-09	1.383E-07	1.575E-06	1.173E-05	5.278E-05	1.341E-04	1.840E-04	1.341E-04	5.278E-05	1.173E-05	1.575E-06	
12	1.167E-09	1.897E-08	2.371E-07	2.131E-06	1.287E-05	4.904E-05	1.119E-04	1.480E-04	1.119E-04	4.904E-05	1.287E-05	2.131E-06	
13	2.707E-09	3.558E-08	3.593E-07	2.640E-06	1.337E-05	4.438E-05	9.276E-05	1.190E-04	9.276E-05	4.438E-05	1.337E-05	2.640E-06	
14	5.367E-09	5.848E-08	4.909E-07	3.037E-06	1.325E-05	3.920E-05	7.617E-05	9.527E-05	7.617E-05	3.920E-05	1.325E-05	3.037E-06	
15	9.248E-09	8.560E-08	6.126E-07	3.271E-06	1.258E-05	3.379E-05	6.177E-05	7.567E-05	6.177E-05	3.379E-05	1.258E-05	3.271E-06	
16	1.400E-08	1.126E-07	7.030E-07	3.312E-06	1.145E-05	2.834E-05	4.923E-05	5.927E-05	4.923E-05	2.834E-05	1.145E-05	3.312E-06	
17	1.871E-08	1.336E-07	7.429E-07	3.149E-06	9.955E-06	2.301E-05	3.829E-05	4.543E-05	3.829E-05	2.301E-05	9.955E-06	3.149E-06	
18	2.205E-08	1.425E-07	7.198E-07	2.795E-06	8.200E-06	1.791E-05	2.876E-05	3.371E-05	2.876E-05	1.791E-05	8.200E-06	2.795E-06	
19	2.276E-08	1.357E-07	6.338E-07	2.290E-06	6.323E-06	1.318E-05	2.056E-05	2.386E-05	2.056E-05	1.518E-05	6.323E-06	2.290E-06	
20	2.041E-08	1.140E-07	5.004E-07	1.708E-06	4.490E-06	9.018E-06	1.374E-05	1.583E-05	1.374E-05	9.018E-06	4.490E-06	1.708E-06	
21	1.576E-08	8.344E-08	3.497E-07	1.138E-06	2.880E-06	5.619E-06	8.409E-06	9.622E-06	8.409E-06	5.619E-06	2.880E-06	1.138E-06	
22	1.024E-08	5.237E-08	2.108E-07	6.650E-07	1.635E-06	3.120E-06	4.604E-06	5.243E-06	4.604E-06	3.120E-06	1.635E-06	6.650E-07	
23	5.594E-09	2.780E-08	1.088E-07	3.346E-07	8.049E-07	1.511E-06	2.206E-06	2.534E-06	2.206E-06	1.511E-06	8.049E-07	3.346E-07	
24	2.530E-09	1.231E-08	4.722E-08	1.425E-07	3.37 E-07	6.255E-07	9.066E-07	1.026E-06	9.066E-07	6.255E-07	3.374E-07	1.425E-07	
25	9.375E-10	4.494E-09	1.699E-08	5.058E-08	1.184E-07	2.176E-07	3.137E-07	3.544E-07	3.137E-07	2.176E-07	1.184E-07	5.058E-08	
26	2.821E-10	1.338E-09	5.008E-09	1.477E-08	3.430E-08	6.267E-08	8.999E-08	1.015E-07	8.999E-08	6.267E-08	3.430E-08	1.477E-08	
27	6.844E-11	3.223E-10	1.198E-09	3.511E-09	8.110E-09	1.475E-08	2.113E-08	2.382E-08	2.113E-08	1.475E-08	8.110E-09	3.511E-09	
28	1.325E-11	6.234E-11	2.306E-10	6.732E-10	1.549E-09	2.811E-09	4.019E-09	4.528E-09	4.019E-09	2.811E-09	1.549E-09	6.732E-10	
29	2.061E-12	9.628E-12	3.552E-11	1.034E-10	2.375E-10	4.301E-10	6.143E-10	6.919E-10	6.143E-10	4.301E-10	2.375E-10	1.034E-10	
30	2.501E-13	1.183E-12	4.357E-12	1.266E-11	2.904E-11	5.254E-11	7.499E-11	8.443E-11	7.499E-11	5.254E-11	2.904E-11	1.266E-11	
31	2.455E-14	1.143E-13	4.199E-13	1.232E-12	2.822E-12	5.103E-12	7.281E-12	8.197E-12	7.281E-12	5.103E-12	2.822E-12	1.232E-12	
32	0.000E+00	8.855E-15	3.253E-14	9.435E-14	2.160E-13	3.902E-13	5.564E-13	6.263E-13	5.564E-13	3.902E-13	2.160E-13	9.435E-14	
33	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.321E-14	2.386E-14	3.403E-14	3.830E-14	3.403E-14	2.386E-14	1.321E-14	0.000E+00	
34	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
35	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
36	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
37	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
38	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
39	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
40	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
41	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
42	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
43	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
44	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
45	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
46	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
47	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
48	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
49	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	

*> POSITION OF FIRST PUFF AT TIME 960
*> (1.3126525113 , 32.0) DISTANCE: 656.32625566
*> U= 10.938770928 V= 0.0

*> POSITION OF FIRST PUFF AT TIME 1020
*> (1.3126525113 , 32.0) DISTANCE: 656.32625566

1800 SEC. AFTER START OF RELEASE
TOT. 30 PUFFS RELEASED AND 0 HAVE LEFT THE GRID

	26	27	28	29	30	31	32	33	34	35	36	37
***	Z-PLAN NO = 1 ***		DOSE (GS/M**3) *******	**********	**********	**********	**********	**********	**********	**********	**********	**********
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.078E-10	9.040E-07	8.162E-04	8.081E-03	8.162E-04	9.040E-07	1.078E-10	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	2.664E-11	3.831E-08	6.052E-05	3.541E-02	3.426E-01	3.541E-02	6.052E-05	3.831E-08	2.664E-11
3	0.000E+00	0.000E+00	6.083E-12	2.981E-09	1.664E-06	6.539E-04	4.850E-02	2.743E-01	4.850E-02	6.539E-04	1.664E-06	2.981E-09
4	0.000E+00	1.369E-12	3.464E-10	9.065E-08	2.061E-05	2.302E-03	6.920E-02	2.386E-01	6.920E-02	2.302E-03	2.061E-05	9.065E-08
5	1.506E-13	5.285E-11	7.812E-09	1.096E-06	1.086E-04	5.158E-03	6.814E-02	1.693E-01	6.814E-02	5.158E-03	1.086E-04	1.096E-06
6	9.642E-12	9.335E-10	8.741E-08	6.796E-06	3.427E-04	8.066E-03	6.442E-02	1.336E-01	6.442E-02	8.066E-03	3.427E-04	6.796E-06
7	1.421E-10	9.504E-09	5.720E-07	2.642E-05	7.601E-04	1.079E-02	5.960E-02	1.076E-01	5.960E-02	1.079E-02	7.601E-04	2.642E-05
8	1.314E-09	6.229E-08	2.496E-06	7.348E-05	1.346E-03	1.278E-02	5.340E-02	8.725E-02	5.340E-02	1.278E-02	1.346E-03	7.348E-05
9	8.406E-09	2.878E-07	8.003E-06	1.605E-04	2.027E-03	1.408E-02	4.766E-02	7.228E-02	4.766E-02	1.408E-02	2.027E-03	1.605E-04
10	3.971E-08	1.008E-06	2.029E-05	2.932E-04	2.732E-03	1.477E-02	4.234E-02	6.057E-02	4.234E-02	1.477E-02	2.732E-03	2.932E-04
11	1.464E-07	2.829E-06	4.289E-05	4.690E-04	3.394E-03	1.496E-02	3.758E-02	5.134E-02	3.758E-02	1.496E-02	3.394E-03	4.690E-04
12	4.400E-07	6.656E-06	7.870E-05	6.781E-04	3.971E-03	1.481E-02	3.339E-02	4.396E-02	3.339E-02	1.481E-02	3.971E-03	6.781E-04
13	1.118E-06	1.358E-05	1.292E-04	9.069E-04	4.441E-03	1.441E-02	2.972E-02	3.795E-02	2.972E-02	1.441E-02	4.441E-03	9.069E-04
14	2.474E-06	2.469E-05	1.939E-04	1.141E-03	4.800E-03	1.385E-02	2.652E-02	3.301E-02	2.652E-02	1.385E-02	4.800E-03	1.141E-03
15	4.874E-06	4.083E-05	2.710E-04	1.368E-03	5.050E-03	1.319E-02	2.372E-02	2.890E-02	2.372E-02	1.319E-02	5.050E-03	1.368E-03
16	8.716E-06	6.243E-05	3.572E-04	1.577E-03	5.201E-03	1.247E-02	2.126E-02	2.544E-02	2.126E-02	1.247E-02	5.201E-03	1.577E-03
17	1.437E-05	8.942E-05	4.486E-04	1.761E-03	5.266E-03	1.172E-02	1.909E-02	2.249E-02	1.909E-02	1.172E-02	5.266E-03	1.761E-03
18	2.205E-05	1.212E-04	5.411E-04	1.915E-03	5.258E-03	1.098E-02	1.718E-02	1.996E-02	1.718E-02	1.098E-02	5.258E-03	1.915E-03
19	3.202E-05	1.569E-04	6.309E-04	2.038E-03	5.187E-03	1.024E-02	1.547E-02	1.777E-02	1.547E-02	1.024E-02	5.187E-03	2.038E-03
20	4.405E-05	1.951E-04	7.146E-04	2.128E-03	5.066E-03	9.514E-03	1.394E-02	1.585E-02	1.394E-02	9.514E-03	5.066E-03	2.128E-03
21	5.808E-05	2.343E-04	7.895E-04	2.186E-03	4.905E-03	8.814E-03	1.257E-02	1.416E-02	1.257E-02	8.814E-03	4.905E-03	2.186E-03
22	7.360E-05	2.731E-04	8.534E-04	2.214E-03	4.711E-03	8.141E-03	1.134E-02	1.267E-02	1.134E-02	8.141E-03	4.711E-03	2.214E-03
23	9.013E-05	3.100E-04	9.049E-04	2.214E-03	4.492E-03	7.495E-03	1.022E-02	1.133E-02	1.022E-02	7.495E-03	4.492E-03	2.214E-03
24	1.070E-04	3.437E-04	9.430E-04	2.188E-03	4.254E-03	6.879E-03	9.199E-03	1.014E-02	9.199E-03	6.879E-03	4.254E-03	2.188E-03
25	1.237E-04	3.729E-04	9.675E-04	2.140E-03	4.003E-03	6.292E-03	8.270E-03	9.062E-03	8.270E-03	6.292E-03	4.003E-03	2.140E-03
26	1.394E-04	3.968E-04	9.782E-04	2.072E-03	3.742E-03	5.734E-03	7.419E-03	8.087E-03	7.419E-03	5.734E-03	3.742E-03	2.072E-03
27	1.535E-04	4.146E-04	9.756E-04	1.986E-03	3.476E-03	5.203E-03	6.639E-03	7.202E-03	6.639E-03	5.203E-03	3.476E-03	1.986E-03
28	1.654E-04	4.258E-04	9.603E-04	1.886E-03	3.206E-03	4.700E-03	5.920E-03	6.395E-03	5.920E-03	4.700E-03	3.206E-03	1.886E-03
29	1.746E-04	4.301E-04	9.331E-04	1.773E-03	2.937E-03	4.223E-03	5.257E-03	5.657E-03	5.257E-03	4.223E-03	2.937E-03	1.773E-03
30	1.806E-04	4.273E-04	8.948E-04	1.650E-03	2.668E-03	3.771E-03	4.645E-03	4.980E-03	4.645E-03	3.771E-03	2.668E-03	1.650E-03
31	1.831E-04	4.175E-04	8.465E-04	1.519E-03	2.403E-03	3.343E-03	4.078E-03	4.358E-03	4.078E-03	3.343E-03	2.403E-03	1.519E-03
32	1.818E-04	4.010E-04	7.893E-04	1.382E-03	2.143E-03	2.938E-03	3.553E-03	3.786E-03	3.553E-03	2.938E-03	2.143E-03	1.382E-03
33	1.767E-04	3.781E-04	7.245E-04	1.240E-03	1.888E-03	2.555E-03	3.065E-03	3.258E-03	3.065E-03	2.555E-03	1.888E-03	1.240E-03
34	1.679E-04	3.493E-04	6.533E-04	1.095E-03	1.641E-03	2.195E-03	2.614E-03	2.771E-03	2.614E-03	2.195E-03	1.641E-03	1.095E-03
35	1.555E-04	3.156E-04	5.775E-04	9.504E-04	1.404E-03	1.857E-03	2.197E-03	2.324E-03	2.197E-03	1.857E-03	1.404E-03	9.504E-04
36	1.400E-04	2.780E-04	4.989E-04	8.077E-04	1.177E-03	1.542E-03	1.815E-03	1.916E-03	1.815E-03	1.542E-03	1.177E-03	8.077E-04
37	1.223E-04	2.380E-04	4.199E-04	6.698E-04	9.650E-04	1.254E-03	1.467E-03	1.547E-03	1.467E-03	1.254E-03	9.650E-04	6.698E-04
38	1.032E-04	1.974E-04	3.429E-04	5.400E-04	7.699E-04	9.928E-04	1.157E-03	1.217E-03	1.157E-03	9.928E-04	7.699E-04	5.400E-04
39	8.375E-05	1.579E-04	2.706E-04	4.214E-04	5.954E-04	7.628E-04	8.852E-04	9.303E-04	8.852E-04	7.628E-04	5.954E-04	4.214E-04
40	6.524E-05	1.213E-04	2.055E-04	3.169E-04	4.444E-04	5.660E-04	6.546E-04	6.871E-04	6.546E-04	5.660E-04	4.444E-04	3.169E-04
41	4.852E-05	8.920E-05	1.498E-04	2.288E-04	3.186E-04	4.038E-04	4.656E-04	4.882E-04	4.656E-04	4.038E-04	3.186E-04	2.288E-04
42	3.433E-05	6.251E-05	1.039E-04	1.578E-04	2.184E-04	2.757E-04	3.171E-04	3.322E-04	3.171E-04	2.757E-04	2.184E-04	1.578E-04
43	2.304E-05	4.159E-05	6.866E-05	1.036E-04	1.427E-04	1.794E-04	2.059E-04	2.155E-04	2.059E-04	1.794E-04	1.427E-04	1.036E-04
44	1.461E-05	2.619E-05	4.296E-05	6.445E-05	8.841E-05	1.108E-04	1.269E-04	1.328E-04	1.269E-04	1.108E-04	8.841E-05	6.445E-05
45	8.730E-06	1.555E-05	2.537E-05	3.790E-05	5.180E-05	6.477E-05	7.406E-05	7.745E-05	7.406E-05	6.477E-05	5.180E-05	3.790E-05
46	4.902E-06	8.687E-06	1.411E-05	2.099E-05	2.860E-05	3.569E-05	4.075E-05	4.259E-05	4.075E-05	3.569E-05	2.860E-05	2.099E-05
47	2.580E-06	4.553E-06	7.365E-06	1.092E-05	1.484E-05	1.848E-05	2.108E-05	2.203E-05	2.108E-05	1.848E-05	1.484E-05	1.092E-05
48	1.271E-06	2.233E-06	3.600E-06	5.324E-06	7.220E-06	8.975E-06	1.023E-05	1.068E-05	1.023E-05	8.975E-06	7.220E-06	5.324E-06
49	5.840E-07	1.023E-06	1.645E-06	2.427E-06	3.264E-06	4.077E-06	4.642E-06	4.848E-06	4.642E-06	4.077E-06	3.284E-06	2.427E-06

	26	27	28	29	30	31	32	33	34	35	36	37
***	DEPOSITION =	***	DOSE (GS/M**2)	*******	**********	**********	**********	**********	**********	**********	**********	**********
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	9.787E-13	9.040E-09	8.162E-06	8.081E-05	8.162E-06	9.040E-09	9.787E-13	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.830E-10	6.052E-07	3.541E-04	3.426E-03	3.541E-04	6.052E-07	3.830E-10	0.000E+00
3	0.000E+00	0.000E+00	0.000E+00	2.978E-11	1.664E-08	6.539E-06	4.850E-04	2.743E-03	4.850E-04	6.539E-06	1.664E-08	2.978E-11
4	0.000E+00	0.000E+00	3.285E-12	9.065E-10	2.061E-07	2.302E-05	6.920E-04	2.386E-03	6.920E-04	2.302E-05	2.061E-07	9.065E-10
5	0.000E+00	2.249E-13	7.788E-11	1.096E-08	1.086E-06	5.158E-05	6.814E-04	1.593E-03	6.814E-04	5.158E-05	1.086E-06	1.096E-08
6	0.000E+00	9.254E-12	8.740E-10	6.796E-08	3.427E-06	8.066E-05	6.442E-04	1.336E-03	6.442E-04	8.066E-05	3.427E-06	6.796E-08
7	1.19CE-12	9.49PE-11	5.720E-09	2.642E-07	7.601E-06	1.079E-04	5.960E-04	1.076E-03	5.960E-04	1.079E-04	7.601E-06	2.642E-07
8	1.303E-11	6.229E-10	2.496E-08	7.348E-07	1.346E-05	1.278E-04	5.340E-04	8.725E-04	5.340E-04	1.278E-04	1.346E-05	7.348E-07
9	8.395E-11	2.878E-09	8.003E-08	1.605E-06	2.027E-05	1.408E-04	4.766E-04	7.228E-04	4.766E-04	1.408E-04	2.027E-05	1.605E-06
10	3.971E-10	1.008E-08	2.029E-07	2.932E-06	2.732E-05	1.477E-04	4.234E-04	6.057E-04	4.234E-04	1.477E-04	2.732E-05	2.932E-06
11	1.464E-09	2.829E-08	4.239E-07	4.690E-06	3.394E-05	1.496E-04	3.758E-04	5.134E-04	3.758E-04	1.496E-04	3.394E-05	4.690E-06
12	4.40CE-09	6.656E-08	7.870E-07	6.781E-06	3.971E-05	1.481E-04	3.339E-04	4.396E-04	3.339E-04	1.481E-04	3.971E-05	6.781E-06
13	1.11CE-08	1.358E-07	1.292E-06	9.069E-06	4.441E-05	1.441E-04	2.972E-04	3.795E-04	2.972E-04	1.441E-04	4.441E-05	9.069E-06
14	2.474E-08	2.469E-07	1.939E-06	1.141E-05	4.800E-05	1.385E-04	2.652E-04	3.301E-04	2.652E-04	1.385E-04	4.800E-05	1.141E-05
15	4.874E-08	4.033E-07	2.710E-06	1.368E-05	5.050E-05	1.319E-04	2.372E-04	2.890E-04	2.372E-04	1.319E-04	5.050E-05	1.368E-05
16	8.716E-08	6.243E-07	3.572E-06	1.577E-05	5.201E-05	1.247E-04	2.126E-04	2.544E-04	2.126E-04	1.247E-04	5.201E-05	1.577E-05
17	1.437E-07	8.942E-07	4.436E-06	1.751E-05	5.266E-05	1.172E-04	1.909E-04	2.249E-04	1.909E-04	1.172E-04	5.266E-05	1.761E-05
18	2.209E-07	1.212E-06	5.411E-06	1.915E-05	5.258E-05	1.098E-04	1.718E-04	1.996E-04	1.718E-04	1.098E-04	5.258E-05	1.915E-05
19	3.202E-07	1.569E-06	6.309E-06	2.038E-05	5.187E-05	1.024E-04	1.547E-04	1.777E-04	1.547E-04	1.024E-04	5.187E-05	2.038E-05
20	4.409E-07	1.951E-06	7.146E-06	2.128E-05	5.066E-05	9.514E-05	1.394E-04	1.585E-04	1.394E-04	9.514E-05	5.066E-05	2.128E-05
21	5.808E-07	2.343E-06	7.895E-06	2.186E-05	4.905E-05	8.814E-05	1.257E-04	1.416E-04	1.257E-04	8.814E-05	4.905E-05	2.186E-05
22	7.360E-07	2.731E-06	8.534E-06	2.214E-05	4.711E-05	8.141E-05	1.134E-04	1.267E-04	1.134E-04	8.141E-05	4.711E-05	2.214E-05
23	9.013E-07	3.100E-06	9.049E-06	2.214E-05	4.492E-05	7.495E-05	1.022E-04	1.133E-04	1.022E-04	7.495E-05	4.492E-05	2.214E-05
24	1.07CE-06	3.437E-06	9.430E-06	2.188E-05	4.254E-05	6.879E-05	9.199E-05	1.014E-04	9.199E-05	6.879E-05	4.254E-05	2.188E-05
25	1.237E-06	3.729E-06	9.675E-06	2.140E-05	4.003E-05	6.292E-05	8.270E-05	9.062E-05	8.270E-05	6.292E-05	4.003E-05	2.140E-05
26	1.394E-06	3.968E-06	9.732E-06	2.072E-05	3.742E-05	5.734E-05	7.419E-05	8.087E-05	7.419E-05	5.734E-05	3.742E-05	2.072E-05
27	1.535E-06	4.146E-06	9.756E-06	1.996E-05	3.476E-05	5.203E-05	6.639E-05	7.202E-05	6.639E-05	5.203E-05	3.476E-05	1.986E-05
28	1.654E-06	4.258E-06	9.603E-06	1.886E-05	3.206E-05	4.700E-05	5.920E-05	6.395E-05	5.920E-05	4.700E-05	3.206E-05	1.886E-05
29	1.746E-06	4.301E-06	9.331E-06	1.773E-05	2.937E-05	4.223E-05	5.257E-05	5.657E-05	5.257E-05	4.223E-05	2.937E-05	1.773E-05
30	1.80CE-06	4.273E-06	8.948E-06	1.650E-05	2.668E-05	3.771E-05	4.645E-05	4.980E-05	4.645E-05	3.771E-05	2.668E-05	1.650E-05
31	1.831E-06	4.175E-06	8.465E-06	1.519E-05	2.403E-05	3.343E-05	4.078E-05	4.358E-05	4.078E-05	3.343E-05	2.403E-05	1.519E-05
32	1.810E-06	4.010E-06	7.893E-06	1.382E-05	2.143E-05	2.939E-05	3.553E-05	3.786E-05	3.553E-05	2.938E-05	2.143E-05	1.382E-05
33	1.767E-06	3.781E-06	7.245E-06	1.240E-05	1.888E-05	2.555E-05	3.065E-05	3.258E-05	3.065E-05	2.555E-05	1.888E-05	1.240E-05
34	1.679E-06	3.493E-06	6.533E-06	1.095E-05	1.641E-05	2.195E-05	2.614E-05	2.771E-05	2.614E-05	2.195E-05	1.641E-05	1.095E-05
35	1.555E-06	3.156E-06	5.775E-06	9.504E-06	1.404E-05	1.857E-05	2.197E-05	2.324E-05	2.197E-05	1.857E-05	1.404E-05	9.504E-06
36	1.400E-06	2.780E-06	4.989E-06	8.077E-06	1.177E-05	1.542E-05	1.815E-05	1.916E-05	1.815E-05	1.542E-05	1.177E-05	8.077E-06
37	1.223E-06	2.380E-06	4.199E-06	6.698E-06	9.650E-06	1.254E-05	1.467E-05	1.547E-05	1.467E-05	1.254E-05	9.650E-06	6.698E-06
38	1.032E-06	1.974E-06	3.429E-06	5.400E-06	7.699E-06	9.928E-06	1.157E-05	1.217E-05	1.157E-05	9.928E-06	7.699E-06	5.400E-06
39	8.379E-07	1.579E-06	2.706E-06	4.214E-06	5.954E-06	7.628E-06	8.852E-06	9.303E-06	8.852E-06	7.628E-06	5.954E-06	4.214E-06
40	6.524E-07	1.213E-06	2.055E-06	3.169E-06	4.444E-06	5.660E-06	6.546E-06	6.871E-06	6.546E-06	5.660E-06	4.444E-06	3.169E-06
41	4.852E-07	8.920E-07	1.496E-06	2.288E-06	3.186E-06	4.038E-06	4.656E-06	4.882E-06	4.656E-06	4.038E-06	3.186E-06	2.288E-06
42	3.433E-07	6.251E-07	1.039E-06	1.578E-06	2.184E-06	2.757E-06	3.171E-06	3.322E-06	3.171E-06	2.757E-06	2.184E-06	1.578E-06
43	2.304E-07	4.159E-07	6.866E-07	1.036E-06	1.427E-06	1.794E-06	2.059E-06	2.155E-06	2.059E-06	1.794E-06	1.427E-06	1.036E-06
44	1.461E-07	2.619E-07	4.296E-07	6.445E-07	8.841E-07	1.108E-06	1.269E-06	1.328E-06	1.269E-06	1.108E-06	8.841E-07	6.445E-07
45	8.730E-08	1.555E-07	2.537E-07	3.790E-07	5.180E-07	6.477E-07	7.406E-07	7.745E-07	7.406E-07	6.477E-07	5.180E-07	3.790E-07
46	4.902E-08	8.687E-08	1.411E-07	2.099E-07	2.860E-07	3.568E-07	4.075E-07	4.259E-07	4.075E-07	3.568E-07	2.860E-07	2.099E-07
47	2.580E-08	4.553E-08	7.365E-08	1.092E-07	1.484E-07	1.848E-07	2.108E-07	2.203E-07	2.108E-07	1.848E-07	1.484E-07	1.092E-07
48	1.271E-08	2.233E-08	3.600E-08	5.324E-08	7.220E-08	8.975E-08	1.023E-07	1.068E-07	1.023E-07	8.975E-08	7.220E-08	5.324E-08
49	5.840E-09	1.023E-08	1.645E-08	2.427E-08	3.284E-08	4.077E-08	4.642E-08	4.848E-08	4.642E-08	4.077E-08	3.284E-08	2.427E-08

TIMESTEP NO = 2

```
     TIMESTEP NO = 6
     OBSERVATION TIME:  14:3
     STATION DIRECTION VELOCITY     STABILITY   RAIN
                (DEG.)   (M/S)      (-Y) (-Z)   (MM/H)
     KFK          270.     5.0        D    D     0.00

 STATION    U      V      RAIN
          (M/S)  (M/S)   (MM/H)
 ==========================
KFK         5.0    0.0     0.00
 * TIMESTEP NO. 6 : ZM = 570.0 => ZMG = 19
```


9900 SEC. AFTER START OF RELEASE
TOT. 60 PUFFS RELEASED AND 60 HAVE LEFT THE GRID

	26	27	28	29	30	31	32	33	34	35	36	37
***	DEPOSITION :		*** DOSE (GS/M**2) *******		**********	**********	**********	**********	**********	**********	**********	**********
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.039E-12	1.813E-05	1.633E-05	1.616E-04	1.633E-05	1.813E-05	2.038E-12	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.013E-10	1.229E-06	7.093E-04	6.857E-03	7.093E-04	1.229E-06	8.013E-10	0.000E+00
3	0.000E+00	0.000E+00	0.000E+00	6.524E-11	3.535E-08	1.360E-05	9.947E-04	5.579E-03	9.947E-04	1.360E-05	3.535E-08	6.524E-11
4	0.000E+00	0.000E+00	7.536E-12	2.017E-09	4.468E-07	4.892E-05	1.450E-03	4.981E-03	1.450E-03	4.892E-05	4.468E-07	2.017E-09
5	0.000E+00	5.397E-13	1.820E-10	2.486E-08	2.406E-06	1.123E-04	1.470E-03	3.639E-03	1.470E-03	1.123E-04	2.406E-06	2.486E-08
6	0.000E+00	2.275E-11	2.032E-09	1.576E-07	7.779E-06	1.803E-04	1.426E-03	2.948E-03	1.426E-03	1.803E-04	7.779E-06	1.576E-07
7	3.084E-12	2.383E-10	1.393E-08	6.275E-07	1.770E-05	2.477E-04	1.357E-03	2.444E-03	1.357E-03	2.477E-04	1.770E-05	6.275E-07
8	3.448E-11	1.597E-09	6.223E-08	1.790E-06	3.220E-05	3.020E-04	1.252E-03	2.040E-03	1.252E-03	3.020E-04	3.220E-05	1.790E-06
9	2.277E-10	7.562E-09	2.048E-07	4.019E-06	4.992E-05	3.425E-04	1.151E-03	1.742E-03	1.151E-03	3.425E-04	4.992E-05	4.019E-06
10	1.104E-09	2.718E-08	5.338E-07	7.559E-06	6.931E-05	3.704E-04	1.055E-03	1.506E-03	1.055E-03	3.704E-04	6.931E-05	7.559E-06
11	4.179E-09	7.851E-08	1.162E-06	1.246E-05	8.882E-05	3.874E-04	9.666E-04	1.318E-03	9.666E-04	3.874E-04	8.882E-05	1.246E-05
12	1.293E-08	1.904E-07	2.199E-06	1.860E-05	1.073E-04	3.962E-04	8.878E-04	1.166E-03	8.878E-04	3.962E-04	1.073E-04	1.860E-05
13	3.391E-08	4.011E-07	3.729E-06	2.571E-05	1.242E-04	3.989E-04	8.179E-04	1.042E-03	8.179E-04	3.989E-04	1.242E-04	2.571E-05
14	7.750E-08	7.539E-07	5.794E-06	3.349E-05	1.390E-04	3.971E-04	7.562E-04	9.395E-04	7.562E-04	3.971E-04	1.390E-04	3.349E-05
15	1.581E-07	1.291E-06	8.391E-06	4.153E-05	1.517E-04	3.923E-04	7.017E-04	8.534E-04	7.017E-04	3.923E-04	1.517E-04	4.163E-05
16	2.932E-07	2.049E-06	1.148E-05	4.984E-05	1.623E-04	3.854E-04	6.535E-04	7.805E-04	6.535E-04	3.854E-04	1.623E-04	4.984E-05
17	5.023E-07	3.051E-06	1.499E-05	5.789E-05	1.709E-04	3.771E-04	6.108E-04	7.182E-04	6.108E-04	3.771E-04	1.709E-04	5.789E-05
18	8.045E-07	4.309E-06	1.884E-05	6.562E-05	1.779E-04	3.680E-04	5.727E-04	6.644E-04	5.727E-04	3.680E-04	1.779E-04	6.562E-05
19	1.217E-06	5.821E-06	2.294E-05	7.290E-05	1.832E-04	3.584E-04	5.387E-04	6.176E-04	5.387E-04	3.584E-04	1.832E-04	7.290E-05
20	1.753E-06	7.572E-06	2.719E-05	7.954E-05	1.872E-04	3.485E-04	5.081E-04	5.765E-04	5.081E-04	3.485E-04	1.872E-04	7.964E-05
21	2.423E-06	9.539E-06	3.150E-05	8.579E-05	1.901E-04	3.386E-04	4.804E-04	5.402E-04	4.804E-04	3.386E-04	1.901E-04	8.579E-05
22	3.229E-06	1.169E-05	3.579E-05	9.134E-05	1.919E-04	3.287E-04	4.553E-04	5.078E-04	4.553E-04	3.287E-04	1.919E-04	9.134E-05
23	4.171E-06	1.400E-05	4.001E-05	9.627E-05	1.929E-04	3.189E-04	4.324E-04	4.788E-04	4.324E-04	3.189E-04	1.929E-04	9.627E-05
24	5.243E-06	1.641E-05	4.410E-05	1.006E-04	1.931E-04	3.094E-04	4.114E-04	4.526E-04	4.114E-04	3.094E-04	1.931E-04	1.006E-04
25	6.436E-06	1.891E-05	4.801E-05	1.044E-04	1.927E-04	3.000E-04	3.922E-04	4.289E-04	3.922E-04	3.000E-04	1.927E-04	1.044E-04
26	7.737E-06	2.145E-05	5.172E-05	1.076E-04	1.918E-04	2.910E-04	3.744E-04	4.073E-04	3.744E-04	2.910E-04	1.918E-04	1.076E-04
27	9.132E-06	2.409E-05	5.520E-05	1.103E-04	1.904E-04	2.822E-04	3.579E-04	3.875E-04	3.579E-04	2.822E-04	1.904E-04	1.103E-04
28	1.060E-05	2.653E-05	5.843E-05	1.126E-04	1.887E-04	2.737E-04	3.426E-04	3.694E-04	3.426E-04	2.737E-04	1.887E-04	1.126E-04
29	1.214E-05	2.902E-05	6.142E-05	1.144E-04	1.866E-04	2.655E-04	3.284E-04	3.526E-04	3.284E-04	2.655E-04	1.866E-04	1.144E-04
30	1.372E-05	3.145E-05	6.416E-05	1.159E-04	1.844E-04	2.576E-04	3.152E-04	3.372E-04	3.152E-04	2.576E-04	1.844E-04	1.159E-04
31	1.534E-05	3.381E-05	6.666E-05	1.170E-04	1.819E-04	2.500E-04	3.028E-04	3.229E-04	3.028E-04	2.500E-04	1.819E-04	1.170E-04
32	1.698E-05	3.610E-05	6.894E-05	1.178E-04	1.794E-04	2.427E-04	2.913E-04	3.096E-04	2.913E-04	2.427E-04	1.794E-04	1.178E-04
33	1.866E-05	3.833E-05	7.106E-05	1.184E-04	1.768E-04	2.359E-04	2.807E-04	2.975E-04	2.807E-04	2.359E-04	1.768E-04	1.184E-04
34	2.038E-05	4.054E-05	7.309E-05	1.190E-04	1.745E-04	2.297E-04	2.711E-04	2.865E-04	2.711E-04	2.297E-04	1.745E-04	1.190E-04
35	2.220E-05	4.281E-05	7.517E-05	1.197E-04	1.725E-04	2.242E-04	2.626E-04	2.769E-04	2.626E-04	2.242E-04	1.725E-04	1.197E-04
36	2.417E-05	4.527E-05	7.750E-05	1.208E-04	1.712E-04	2.199E-04	2.558E-04	2.690E-04	2.558E-04	2.199E-04	1.712E-04	1.208E-04
37	2.643E-05	4.810E-05	8.034E-05	1.228E-04	1.712E-04	2.174E-04	2.510E-04	2.634E-04	2.510E-04	2.174E-04	1.712E-04	1.228E-04
38	2.905E-05	5.152E-05	8.403E-05	1.259E-04	1.729E-04	2.171E-04	2.490E-04	2.607E-04	2.490E-04	2.171E-04	1.729E-04	1.259E-04
39	3.234E-05	5.578E-05	8.895E-05	1.308E-04	1.769E-04	2.198E-04	2.506E-04	2.617E-04	2.506E-04	2.198E-04	1.769E-04	1.308E-04
40	3.635E-05	6.116E-05	9.546E-05	1.379E-04	1.839E-04	2.262E-04	2.562E-04	2.671E-04	2.562E-04	2.262E-04	1.839E-04	1.379E-04
41	4.126E-05	6.786E-05	1.038E-04	1.475E-04	1.942E-04	2.366E-04	2.665E-04	2.773E-04	2.665E-04	2.366E-04	1.942E-04	1.475E-04
42	4.717E-05	7.601E-05	1.142E-04	1.599E-04	2.080E-04	2.512E-04	2.815E-04	2.923E-04	2.815E-04	2.512E-04	2.080E-04	1.599E-04
43	5.413E-05	8.563E-05	1.256E-04	1.749E-04	2.251E-04	2.697E-04	3.008E-04	3.119E-04	3.008E-04	2.697E-04	2.251E-04	1.749E-04
44	6.212E-05	9.665E-05	1.409E-04	1.922E-04	2.451E-04	2.917E-04	3.239E-04	3.354E-04	3.239E-04	2.917E-04	2.451E-04	1.922E-04
45	7.104E-05	1.089E-04	1.567E-04	2.115E-04	2.674E-04	3.162E-04	3.499E-04	3.619E-04	3.499E-04	3.162E-04	2.674E-04	2.115E-04
46	8.080E-05	1.222E-04	1.738E-04	2.322E-04	2.913E-04	3.426E-04	3.778E-04	3.903E-04	3.778E-04	3.426E-04	2.913E-04	2.322E-04
47	9.127E-05	1.363E-04	1.917E-04	2.539E-04	3.162E-04	3.700E-04	4.067E-04	4.198E-04	4.067E-04	3.700E-04	3.162E-04	2.539E-04
48	1.023E-04	1.510E-04	2.103E-04	2.761E-04	3.416E-04	3.978E-04	4.360E-04	4.495E-04	4.360E-04	3.978E-04	3.416E-04	2.761E-04
49	1.135E-04	1.662E-04	2.292E-04	2.985E-04	3.670E-04	4.255E-04	4.650E-04	4.790E-04	4.650E-04	4.255E-04	3.670E-04	2.985E-04

10800 SEC. AFTER START OF RELEASE
TOT. 60 PUFFS RELEASED AND 60 HAVE LEFT THE GRID

26	27	28	29	30	31	32	33	34	35	36	37
*** Z-PLAN NO = 1 ***	DOSE (GS/M**3)	*******	**********	**********	**********	**********	**********	**********	**********	**********	**********
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.241E-10	1.813E-05	1.633E-03	1.616E-02	1.633E-03	1.813E-06	2.241E-10	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	5.775E-11	8.013E-08	1.229E-04	7.093E-02	6.857E-01	7.093E-02	1.229E-04	8.013E-08	5.776E-11
3	0.000E+00	0.000E+00	1.380E-11	6.531E-09	3.535E-06	1.360E-03	9.947E-02	5.579E-01	9.947E-02	1.360E-03	3.535E-06	6.531E-09
4	0.000E+00	3.266E-12	7.967E-10	2.017E-07	4.468E-05	4.892E-03	1.450E-01	4.991E-01	1.450E-01	4.892E-03	4.468E-05	2.017E-07
5	3.766E-13	1.279E-10	1.826E-08	2.486E-06	2.406E-04	1.123E-02	1.470E-01	3.639E-01	1.470E-01	1.123E-02	2.406E-04	2.486E-06
6	2.462E-11	2.297E-09	2.082E-07	1.576E-05	7.779E-04	1.803E-02	1.426E-01	2.948E-01	1.426E-01	1.803E-02	7.779E-04	1.576E-05
7	3.692E-10	2.384E-08	1.393E-06	6.275E-05	1.770E-03	2.477E-02	1.357E-01	2.444E-01	1.357E-01	2.477E-02	1.770E-03	6.275E-05
8	3.484E-09	1.598E-07	6.223E-06	1.790E-04	3.220E-03	3.020E-02	1.252E-01	2.040E-01	1.252E-01	3.020E-02	3.220E-03	1.790E-04
9	2.275E-08	7.562E-07	2.049E-05	4.019E-04	4.992E-03	3.425E-02	1.151E-01	1.742E-01	1.151E-01	3.425E-02	4.992E-03	4.019E-04
10	1.104E-07	2.718E-06	5.338E-05	7.559E-04	6.931E-03	3.704E-02	1.055E-01	1.506E-01	1.055E-01	3.704E-02	6.931E-03	7.559E-04
11	4.180E-07	7.851E-06	1.152E-04	1.246E-03	8.862E-03	3.874E-02	9.666E-02	1.318E-01	9.666E-02	3.874E-02	8.862E-03	1.246E-03
12	1.294E-06	1.904E-05	2.199E-04	1.860E-03	1.073E-02	3.962E-02	8.878E-02	1.166E-01	8.878E-02	3.962E-02	1.073E-02	1.860E-03
13	3.391E-06	4.011E-05	3.729E-04	2.571E-03	1.242E-02	3.989E-02	8.179E-02	1.042E-01	8.179E-02	3.989E-02	1.242E-02	2.571E-03
14	7.750E-06	7.539E-05	5.794E-04	3.349E-03	1.390E-02	3.971E-02	7.562E-02	9.395E-02	7.562E-02	3.971E-02	1.390E-02	3.349E-03
15	1.581E-05	1.291E-04	8.391E-04	4.163E-03	1.517E-02	3.923E-02	7.017E-02	8.534E-02	7.017E-02	3.923E-02	1.517E-02	4.163E-03
16	2.932E-05	2.049E-04	1.148E-03	4.984E-03	1.623E-02	3.854E-02	6.535E-02	7.805E-02	6.535E-02	3.854E-02	1.623E-02	4.984E-03
17	5.023E-05	3.051E-04	1.499E-03	5.789E-03	1.709E-02	3.771E-02	6.108E-02	7.182E-02	6.108E-02	3.771E-02	1.709E-02	5.789E-03
18	8.045E-05	4.309E-04	1.884E-03	6.562E-03	1.779E-02	3.680E-02	5.727E-02	6.644E-02	5.727E-02	3.680E-02	1.779E-02	6.562E-03
19	1.217E-04	5.821E-04	2.294E-03	7.290E-03	1.832E-02	3.584E-02	5.387E-02	6.176E-02	5.387E-02	3.584E-02	1.832E-02	7.290E-03
20	1.753E-04	7.572E-04	2.719E-03	7.954E-03	1.872E-02	3.485E-02	5.081E-02	5.765E-02	5.081E-02	3.485E-02	1.872E-02	7.964E-03
21	2.423E-04	9.539E-04	3.150E-03	8.579E-03	1.901E-02	3.386E-02	4.804E-02	5.402E-02	4.804E-02	3.386E-02	1.901E-02	8.579E-03
22	3.225E-04	1.169E-03	3.579E-03	9.134E-03	1.919E-02	3.287E-02	4.553E-02	5.078E-02	4.553E-02	3.287E-02	1.919E-02	9.134E-03
23	4.171E-04	1.400E-03	4.001E-03	9.627E-03	1.929E-02	3.189E-02	4.324E-02	4.788E-02	4.324E-02	3.189E-02	1.929E-02	9.627E-03
24	5.243E-04	1.641E-03	4.410E-03	1.006E-02	1.931E-02	3.094E-02	4.114E-02	4.526E-02	4.114E-02	3.094E-02	1.931E-02	1.006E-02
25	6.436E-04	1.891E-03	4.801E-03	1.044E-02	1.927E-02	3.000E-02	3.922E-02	4.289E-02	3.922E-02	3.000E-02	1.927E-02	1.044E-02
26	7.737E-04	2.145E-03	5.172E-03	1.076E-02	1.918E-02	2.910E-02	3.744E-02	4.073E-02	3.744E-02	2.910E-02	1.918E-02	1.076E-02
27	9.132E-04	2.400E-03	5.520E-03	1.103E-02	1.904E-02	2.822E-02	3.579E-02	3.875E-02	3.579E-02	2.822E-02	1.904E-02	1.103E-02
28	1.060E-03	2.653E-03	5.843E-03	1.126E-02	1.887E-02	2.737E-02	3.426E-02	3.694E-02	3.426E-02	2.737E-02	1.887E-02	1.126E-02
29	1.214E-03	2.902E-03	6.142E-03	1.144E-02	1.866E-02	2.655E-02	3.284E-02	3.526E-02	3.284E-02	2.655E-02	1.866E-02	1.144E-02
30	1.371E-03	3.144E-03	6.414E-03	1.158E-02	1.843E-02	2.576E-02	3.151E-02	3.371E-02	3.151E-02	2.576E-02	1.843E-02	1.158E-02
31	1.532E-03	3.379E-03	6.662E-03	1.169E-02	1.818E-02	2.499E-02	3.027E-02	3.228E-02	3.027E-02	2.499E-02	1.818E-02	1.169E-02
32	1.694E-03	3.603E-03	6.885E-03	1.177E-02	1.792E-02	2.425E-02	2.911E-02	3.094E-02	2.911E-02	2.425E-02	1.792E-02	1.177E-02
33	1.856E-03	3.817E-03	7.084E-03	1.181E-02	1.764E-02	2.354E-02	2.802E-02	2.969E-02	2.802E-02	2.354E-02	1.764E-02	1.181E-02
34	2.017E-03	4.020E-03	7.260E-03	1.183E-02	1.736E-02	2.286E-02	2.699E-02	2.853E-02	2.699E-02	2.286E-02	1.736E-02	1.183E-02
35	2.175E-03	4.211E-03	7.414E-03	1.183E-02	1.706E-02	2.220E-02	2.602E-02	2.744E-02	2.602E-02	2.220E-02	1.706E-02	1.183E-02
36	2.330E-03	4.390E-03	7.547E-03	1.181E-02	1.677E-02	2.157E-02	2.511E-02	2.641E-02	2.511E-02	2.157E-02	1.677E-02	1.181E-02
37	2.480E-03	4.556E-03	7.661E-03	1.177E-02	1.647E-02	2.096E-02	2.424E-02	2.545E-02	2.424E-02	2.096E-02	1.647E-02	1.177E-02
38	2.626E-03	4.709E-03	7.757E-03	1.171E-02	1.616E-02	2.038E-02	2.342E-02	2.454E-02	2.342E-02	2.038E-02	1.616E-02	1.171E-02
39	2.766E-03	4.850E-03	7.836E-03	1.164E-02	1.586E-02	1.981E-02	2.265E-02	2.368E-02	2.265E-02	1.981E-02	1.586E-02	1.164E-02
40	2.901E-03	4.980E-03	7.899E-03	1.156E-02	1.556E-02	1.927E-02	2.191E-02	2.287E-02	2.191E-02	1.927E-02	1.556E-02	1.156E-02
41	3.025E-03	5.097E-03	7.947E-03	1.146E-02	1.526E-02	1.874E-02	2.121E-02	2.211E-02	2.121E-02	1.874E-02	1.526E-02	1.146E-02
42	3.150E-03	5.203E-03	7.982E-03	1.136E-02	1.497E-02	1.824E-02	2.055E-02	2.138E-02	2.055E-02	1.824E-02	1.497E-02	1.136E-02
43	3.265E-03	5.297E-03	8.005E-03	1.125E-02	1.467E-02	1.775E-02	1.991E-02	2.069E-02	1.991E-02	1.775E-02	1.467E-02	1.125E-02
44	3.373E-03	5.382E-03	8.016E-03	1.113E-02	1.438E-02	1.728E-02	1.931E-02	2.003E-02	1.931E-02	1.728E-02	1.438E-02	1.113E-02
45	3.473E-03	5.456E-03	8.016E-03	1.100E-02	1.409E-02	1.683E-02	1.873E-02	1.941E-02	1.873E-02	1.683E-02	1.409E-02	1.100E-02
46	3.567E-03	5.520E-03	8.007E-03	1.087E-02	1.381E-02	1.639E-02	1.818E-02	1.881E-02	1.818E-02	1.639E-02	1.381E-02	1.087E-02
47	3.655E-03	5.575E-03	7.989E-03	1.074E-02	1.353E-02	1.597E-02	1.765E-02	1.824E-02	1.765E-02	1.597E-02	1.353E-02	1.074E-02
48	3.735E-03	5.621E-03	7.962E-03	1.060E-02	1.326E-02	1.557E-02	1.714E-02	1.770E-02	1.714E-02	1.557E-02	1.326E-02	1.060E-02
49	3.809E-03	5.660E-03	7.929E-03	1.046E-02	1.299E-02	1.517E-02	1.666E-02	1.718E-02	1.666E-02	1.517E-02	1.299E-02	1.046E-02



8.3. Example no. 3

The files INDATA and WINDDA for external gamma dose calculations are as shown below:

8.3.1. INDATA file

```
&PRIMDA
TITLE='PROBLEM 1. NO DEPOSITION  ',
ICOLS=25,JROWS=25,KPLANS=1,DELX=500.,DELY=500.,DELZ=30.,
TDEL=0.0,CHEMIN=0.1E-15,NTADV=20,TAU=20,MAPTIM=900,REFLEC=1.,
NRELSE=3600,IDMP=1,JDMP=6,KDMP=1,ISMODE=1,ITAPIN=0,
KOORD=0,XUTM=332.7609,YUTM=5381.6323,
INPRNT='YES',OUTDAT='NOOUTP',OUTMOD='DOSE',OUTWFD='NOOUTP'
&END
&RELDAT
PUFFTX='SOURCEHEIGHT=10 METERS, SOURCESTRENGTH= 1',
NRMULT=1,
XSOURC(1)=0.0,YSOURC(1)=12.0,ZSOURC(1)=0.33333,
STRTRL(1)=0,STOPRL(1)=3600,SOURST(1)=1.0,HEATFX(1)=0.,
&END
&STABDA
STABTX='MIXING HEIGHT VARIES WITH STABILITY .',
DTDZ=0.,ZMTAB(1)=0.0,ZMTAB(2)=0.,ZMTAB(3)=0.,
ZMTAB(4)=0.,ZMTAB(5)=0.,ZMTAB(6)=0.,
DSHEAR=0,ALFSHE=-5.0,HSHEMI=0.0,HSHEMA=200.0,
USH=0,USTAR=0.1397,LMOBUK=44.64,ZROUGH=0.1,DZERO=0.0,
DUSDUM=0,
DEPMOD=0,OUTDEP='NOOUTP',
VDTAB(1,1)=0.010,VDTAB(2,1)=0.010,VDTAB(3,1)=0.010,
VDTAB(4,1)=0.010,VDTAB(5,1)=0.010,VDTAB(6,1)=0.010,
VDTAB(1,2)=0.010,VDTAB(2,2)=0.010,VDTAB(3,2)=0.010,
VDTAB(4,2)=0.010,VDTAB(5,2)=0.010,VDTAB(6,2)=0.010,
VDTAB(1,3)=0.010,VDTAB(2,3)=0.010,VDTAB(3,3)=0.010,
```

```
 VDTAB(4,3)=0.010,VDTAB(5,3)=0.010,VDTAB(6,3)=0.010,
 VDTAB(1,4)=0.010,VDTAB(2,4)=0.010,VDTAB(3,4)=0.010,
 VDTAB(4,4)=0.010,VDTAB(5,4)=0.010,VDTAB(6,4)=0.010,
 VDTAB(1,5)=0.010,VDTAB(2,5)=0.010,VDTAB(3,5)=0.010,
 VDTAB(4,5)=0.010,VDTAB(5,5)=0.010,VDTAB(6,5)=0.010,
 LDTAB(1)=0.000042,LDTAB(2)=0.000106,LDTAB(3)=0.000233,
 TIMRAI(1)=1692,TIMRAI(2)=2628,TIMRAI(3)=2232
 &END
 &GAMDA
 GAMMOD=1,OUTGAM='OUTPUT',
 FGAM(1)=0.0,FGAM(2)=0.0,FGAM(3)=0.0,FGAM(4)=0.0,FGAM(5)=0.0,
 FGAM(6)=1.0,FGAM(7)=0.0,FGAM(8)=0.0
 &END
```

Note: One space is required in the beginning of each line.

8.3.2. WINDDA file

```
&WINPAR
WNDTLE='WINDDATA (CONSTANT WIND) FOR GAMMA DOSES TEST',
TIME=' 12:00',DATE='21-JUN-84',ITSP=14400,
NP=1,NFX=25,NFY=25,NSTL=1,NSKIP=0,
RTE=0.,RCH=100.,
NAMST(1)='RIS',X(1)=1.,Y(1)=12.,COR(1)=0.,CONFAC(1)=1.0000,
A(1)=0.,ISXMIN(1)=1,ISXMAX(1)=25,ISYMIN(1)=1,ISYMAX(1)=25,
&END
' 12:00'
'RIS','D','D',270.,5.0,0
'STOP'
```

The output from this example is shown on the following pages.


AirGam 0.00 MaxD: 4.45E-03 R/A Time 4.00hrs
Example 3 from Users Guide
Time 14400 sec (MAPTIM = 14)
Gammadoses from airborne material
120
115
110
105
100
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0
0
25
50
75
100



```
#NEWS    APR.11.86   13:32  : RCL-BRUGERE LAES NEWS!!!
#####################################################################
#  VI GOR OPMAERKSOM PAA AT DET IKKE LAENGERE ER MULIGT AT KORE     #
#  FORTRAN-RCL PAA DEN GAMMELDAGS MAADER MED DIMOER OG FORTRAN66.   #
#  VI HENVISER TIL DEN NYE MAADE AT GORE TINGENE PAA SOM            #
#  BESKREVET I MANUALEN:                                            #
#                 RISO COMPUTER LIBRARY, DNA MEMO 70.               #
#                 ----------------------------------                #
#  DENNE KAN FAAS VED HENVENDELSE TIL BIRGIT ANDERSEN, TELF 5569.   #
#                                                                   #
#  VEJLEDNING KAN IOVRIGT FAAS HOS: PETER KIRKEGAARD   (5361)       #
#                          ELLER  OLE LANG RASMUSSEN (5360)         #
#####################################################################
```

DATE: APR 16, 1986 08:03:04, SYSTEM SERIAL: 128, 87800 MCP: SYSTEM/MCP860305. 35.270.3326

W O R K F L O W S T A T E M E N T S

```
0C000100  BEGIN JOB EK53;CLASS=0;CHARGE=4040201;
0C000200  MAXPROCTIME=10300;MAXIOTIME=900;MAXLINES=15000;
0C000300   RUN OBJECT/VER11K/B/RINPUFF;
0C000400   FILE FILE1=VER11K/INDATA/EK53;
0C000500   FILE FILE2=VER11K/HINDDA/EK53;
0C000600   FILE FILE10=VER11K/OUTAIS/EK53;
0C000700   FILE FILE11=VER11K/OUTDEP/EK53;
0C000800   FILE FILE12=VER11K/HFIELD/EK53;
0C000840   FILE FILE14=VER11K/OUTGAM/EK53;
0C000880   FILE FILE20=VER11K/KFKTAP/EK53;
0C000900   ?END JOB;
```

```
                                        J O B   S U M M A R Y

APR 15, 1986
  22:17:12      BEG     3984    $KJ3.
                                JOB ENTERED SYSTEM: APR 15, 1986 11:38:35 FROM NFL 35.270
                                QUEUE: 0
                                OPERATIONS LSN: 45  MCS: 1
                                PRIORITY: 50
                                USERCODE: FYSNYREEN.
                                CHARGECODE: 4040201.
  22:17:12              3984    STACK EXTENDED FROM 407 TO 575 WORDS.

  22:17:12      BOT     6598    (FYSNYREEN)OBJECT/VER:11K/80/SIMPUFF ON USERPACK.
                                CODE COMPILED: APR 10, 1986 11:55:23 BY FORTIAN77 36.123
                                TASK TYPE: COROUTINE(CALL)
                                PRIORITY: 50
                                USERCODE: FYSNYREEN.
                                CHARGECODE: 4040201.
  22:17:15              6598    STACK EXTENDED FROM 1142 TO 1242 WORDS.
  22:41:13      EOT     6598    (FYSNYREEN)OBJECT/VER:11K/80/SIMPUFF ON USERPACK.
                                PROCESSOR TIME: 00:23:34.040  USERCODE: FYSNYREEN.
                                I/O       TIME: 00:00:05.525  CHARGECODE: 4040201.
                                READY0    TIME: 00:00:14.352  LINES PRINTED: 1187.
                                INITPRT   TIME: 00:00:00.985  AVERAGE MEMORY USAGE: CODE=1052, DATA=175336
                                INTERRPT  TIME: 00:00:05.063  MEMORY INTEGRAL: CODE=12574.974, DATA=263281.565
                                ELAPSED   TIME: 00:24:00.465  DATA & CODE ALLOWED IN & OCCUPIED: GLOBAL.
                                                              INITIAL PBITS: 534, OTHER PBITS: 27.

  22:41:13      BEG     3984    $KJ3.
                                PROCESSOR TIME: 00:00:00.000  USERCODE: FYSNYREEN.
                                I/O       TIME: 00:00:00.177  CHARGECODE: 4040201.
                                READY0    TIME: 00:00:00.014  AVERAGE MEMORY USAGE: CODE=45, DATA=1296
                                INITPRT   TIME: 00:00:00.035  MEMORY INTEGRAL: CODE=0.012, DATA=0.334
                                ELAPSED   TIME: 00:24:01.419  DATA & CODE ALLOWED IN & OCCUPIED: GLOBAL.
                                                              INITIAL PBITS: 23.
```

GAMMADOSES. NO DEPOSITION

KEY PARAMETER FOR CURRENT RUN:

NRELSE = 3600

ICOLS =	25	JROWS =	25	KPLANS =	1
NTADV =	20	NARTIM =	900	TAU =	20
DELX =	500.00	DELY =	500.00	DELZ =	30.00
CHEMIN =	0.10000E-15	REFLEC =	1.00000	TDEL =	0
IDMP =	1	JDMP =	6	KDMP =	1

ISMODE = 1

INPRNT = YES

OUTDAT = OUTPUT OUTMOD = DOSE

OUTWFD = NOOUTP
KFRTYPE= 0 (0 = NO, 1<= YES)

* COORDINATES FOR SOURCE AND WINDSTATIONS IN GRID-UNITS (GDU)

```
 SOURCEHEIGHT=10 METERS, SOURCESTRENGTH= 1

CURRENT SOURCEDATA : NUMBER OF ACTIVE SOURCES :    1
   1   0.00  12.00   0.33          0          3600 1.0000000000 0.0000000000
    ZMGT = 9.9998999999
```

IN THE CURRENT RUN, THE STABILITY-CLASSES ARE
CONNECTED TO INTENSITY DATA AS FOLLOWS:
STABILITY CLASS NO.: 1 2 3 4 5 6
INTENSITY DATA   : 0.42 0.34 0.26 0.17 0.07 0.04

MIXING HEIGHT VARIES WITH STABILITY .

IN THE CURRENT RUN, THE POTENTIAL TEMPERATURE
GRADIENT IS SET TO: 0.0030

NO WIND SHEAR

NO DEPOSITION

EXTERNAL GAMMADOSES FROM PUFFS

FREQUENCIES IN ENERGY GROUPS
0.00 0.00 0.00 0.00 0.00 1.00 0.00 0.00

FRAME FOR PUFF ADVECTION:
X: 0 => 24 , Y: 0 => 24

NO FINAL MIXING-DEPTH IS SPECIFIED.

THE MIXING LAYER IS LIMITED AT: 0.00 METERS IN STABILITY CAT 1
THE MIXING LAYER IS LIMITED AT: 0.00 METERS IN STABILITY CAT 2
THE MIXING LAYER IS LIMITED AT: 0.00 METERS IN STABILITY CAT 3
THE MIXING LAYER IS LIMITED AT: 0.00 METERS IN STABILITY CAT 4
THE MIXING LAYER IS LIMITED AT: 0.00 METERS IN STABILITY CAT 5
THE MIXING LAYER IS LIMITED AT: 0.00 METERS IN STABILITY CAT 6

WIND PARAMETER DUMP

WINDDATA (CONSTANT WIND) FOR GAMMA DOSES TEST

TIME = 12:0 DATE = 21-JUN-84 ITSP = 14400 SEC
NP = 1 NFX = 25 NFY = 25
NSTL = 1 NSKIP = 0 KIST = 0
RTE = 0.0 (DEG.) ACN = 100.0 (C.U.)

NAME	X GU	Y GU	COF SEC	CONFAC	ALIGN DEG	IXMIN GU	IXMAX GU	IYMIN GU	IYMAX GU
NFK	1.0	12.0	0.	1.0	0.0	1	25	1	25

STABILITY INDEX ARRAY (J= 1,64)



STATION NO.
KFK 1

UNDEFINED AREA = 0

```
    TIMESTEP NO = 1
    OBSERVATION TIME:  12:0
    STATION DIRECTION VELOCITY     STABILITY   RAIN
            (DEG.)    (M/S)      (-I) (-J)   (MM/H)
    KFK        270.      5.0        3    0     0.00

 STATION    U       V      RAIN
            (M/S)  (M/S)   (MM/H)
 ==========================================
KFK         5.0    0.0     0.00
 * TIMESTEP NO. 1 : ZM = 0.0 => ZMG = 0
```

```
 ***> WIND-DIRECTION AT SOURCE: 270.0
 ***> AT TIME : 20 SEC

900 SEC. AFTER START OF RELEASE
TOT. 45 PUFFS RELEASED AND 0 HAVE LEFT THE GRID
===============================================
```

	6	7	8	9	10	11	12	13	14	15	16	17
***	Z-PLAN NO = 1	*** DOSE (CGY/***										
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.349E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.918E-08	1.155E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
3	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.097E-10	1.200E-05	3.244E-03	1.210E-05	2.067E-10	0.000E+00	0.000E+00
4	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.192E-07	6.153E-05	1.427E-03	6.153E-05	3.148E-08	3.673E-12	0.000E+00
5	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.027E-10	4.192E-07	9.454E-05	7.424E-04	9.454E-05	4.199E-07	3.027E-10	0.000E+00
6	0.000E+00	0.000E+00	0.000E+00	5.328E-12	4.779E-09	1.811E-06	9.436E-05	4.133E-04	9.436E-05	1.616E-06	4.779E-09	5.329E-12
7	0.000E+00	0.000E+00	0.000E+00	7.110E-11	3.572E-08	3.099E-06	7.529E-05	2.329E-04	7.529E-05	3.069E-06	2.572E-08	7.110E-11
8	0.000E+00	0.000E+00	0.000E+00	3.410E-10	1.311E-07	3.661E-06	5.011E-05	1.342E-04	5.011E-05	3.661E-06	1.311E-07	3.411E-10
9	0.000E+00	0.000E+00	0.000E+00	6.635E-10	3.939E-08	2.775E-06	2.619E-05	5.340E-05	2.619E-05	2.776E-06	7.735E-08	6.735E-10
10	0.000E+00	0.000E+00	0.000E+00	5.253E-10	4.562E-08	1.213E-06	9.177E-06	1.017E-05	9.177E-06	1.218E-06	4.562E-08	5.238E-10
11	0.000E+00	0.000E+00	0.000E+00	1.681E-10	1.180E-08	2.693E-07	1.756E-06	3.315E-06	1.756E-06	2.650E-07	1.135E-08	1.621E-10
12	0.000E+00	0.000E+00	0.000E+00	1.803E-11	1.222E-09	2.492E-07	1.056E-07	2.102E-07	1.556E-07	2.492E-08	1.228E-09	1.883E-11
13	0.000E+00	0.000E+00	0.000E+00	7.813E-13	4.812E-11	9.167E-10	5.423E-09	9.324E-09	5.428E-09	9.167E-10	4.812E-11	7.813E-13
14	0.000E+00	0.000E+00	0.000E+00	2.443E-14	6.744E-13	1.245E-11	7.179E-11	1.258E-10	7.179E-11	1.245E-11	6.744E-13	7.442E-15
15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.392E-15	5.583E-14	3.344E-13	5.781E-13	3.344E-13	5.569E-14	2.392E-15	0.000E+00
16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
17	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
18	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
19	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
20	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
21	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
22	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
23	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
24	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
25	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

	6	7	8	9	10	11	12	13	14	15	16	17
***	GAMMADOSES :	*** DOSE (SIEV)										
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.562E-07	7.315E-04	4.560E-07	0.000E+00	0.000E+00	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.230E-08	4.395E-06	1.015E-03	4.395E-06	3.230E-08	0.000E+00	0.000E+00
3	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.185E-07	8.659E-06	3.520E-04	8.659E-06	1.185E-07	3.421E-09	0.000E+00
4	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.294E-07	1.068E-05	1.813E-04	1.068E-05	2.384E-07	6.643E-09	2.794E-10
5	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.210E-05	1.216E-04	1.216E-05	2.893E-07	1.733E-08	6.732E-10	
6	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.295E-05	5.472E-05	1.295E-05	3.427E-07	2.377E-08	1.340E-09	
7	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.033E-05	3.409E-05	1.033E-05	4.181E-07	2.575E-08	2.053E-09	
8	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.970E-06	1.326E-05	6.978E-06	4.477E-07	2.366E-08	2.316E-09	
9	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.751E-06	9.531E-06	3.751E-06	3.181E-07	1.774E-08	1.947E-09	
10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.306E-06	2.065E-06	1.306E-06	1.400E-07	9.535E-09	1.232E-09	
11	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.772E-07	4.127E-07	2.772E-07	7.195E-08	3.322E-09	5.742E-10	
12	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.851E-08	3.294E-08	1.851E-08	4.204E-09	8.637E-10	2.105E-10	
13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.367E-09	1.934E-09	1.367E-09	5.788E-10	1.982E-10	6.510E-11	
14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.457E-10	1.903E-10	1.457E-10	8.187E-11	3.655E-11	1.465E-11	
15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.412E-11	1.653E-11	1.412E-11	9.127E-12	4.832E-12	2.254E-12	
16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
17	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
18	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
19	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
20	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
21	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
22	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
23	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
24	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
25	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

1800 SEC. AFTER START OF RELEASE
TOT. 90 PUFFS RELEASED AND 0 HAVE LEFT THE GRID

***	6 Z-PLAN NO	7 = 1 ***	8 DOSE (REM)	9	10	11	12	13	14	15	16	17
1	0.00CE+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.598E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.000E-07	2.443E-02	1.000E-07	0.000E+00	0.000E+00	0.000E+00
3	0.00CE+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.967E-05	7.238E-03	2.967E-05	5.298E-10	0.000E+00	0.000E+00
4	0.00CE+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.153E-11	1.546E-04	3.437E-03	1.546E-04	8.561E-08	1.152E-11	0.000E+00
5	0.00CE+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.061E-09	2.643E-04	2.026E-03	2.643E-04	1.264E-06	1.061E-09	0.000E+00
6	0.00CE+00	0.000E+00	0.000E+00	2.990E-11	1.972E-08	5.653E-06	3.040E-04	1.299E-03	3.040E-04	5.655E-06	1.972E-08	2.990E-11
7	0.000E+00	0.000E+00	0.000E+00	6.795E-13	5.363E-07	1.340E-05	2.954E-04	8.554E-04	2.954E-04	1.340E-05	1.365E-07	5.551E-10
8	0.00CE+00	0.000E+00	0.000E+00	2.977E-11	4.536E-07	5.037E-07	2.214E-04	6.346E-04	2.646E-04	2.214E-05	5.037E-07	4.398E-09
9	0.000E+00	8.298E-14	2.111E-10	2.106E-08	1.930E-06	2.644E-05	2.266E-04	4.639E-04	2.266E-04	2.743E-05	1.230E-06	2.169E-08
10	0.00CE+00	1.315E-11	1.134E-09	6.814E-08	2.230E-06	1.126E-04	1.809E-04	3.402E-04	1.089E-04	3.396E-05	2.265E-06	6.814E-08
11	5.133E-13	6.955E-11	4.134E-09	1.956E-07	5.427E-06	3.435E-04	1.542E-04	2.543E-04	1.542E-04	4.553E-05	3.427E-06	1.589E-07
12	4.505E-12	2.713E-10	1.111E-08	4.468E-07	1.167E-05	7.236E-04	1.236E-04	1.706E-04	1.236E-04	1.456E-05	4.463E-06	2.946E-07
13	1.874E-11	8.268E-10	2.372E-08	4.553E-07	5.170E-06	3.166E-04	9.716E-05	1.450E-04	9.716E-05	3.166E-05	5.170E-06	4.563E-07
14	5.572E-11	1.824E-09	4.122E-08	6.037E-07	5.415E-06	2.743E-04	7.444E-05	1.034E-04	7.444E-05	2.743E-05	4.416E-06	4.227E-07
15	1.244E-10	3.263E-09	5.933E-08	7.016E-07	5.156E-06	2.238E-04	5.504E-05	7.453E-05	5.504E-05	2.238E-05	3.156E-06	3.016E-07
16	2.121E-10	4.705E-09	7.047E-08	7.041E-07	4.743E-06	1.809E-04	3.860E-05	5.207E-05	3.860E-05	1.609E-05	2.426E-06	2.041E-07
17	2.753E-10	5.322E-09	6.972E-08	6.805E-07	3.355E-06	1.170E-04	2.493E-05	3.223E-05	2.498E-05	1.170E-05	1.356E-06	1.033E-07
18	2.693E-10	4.653E-09	5.511E-08	5.237E-07	2.177E-06	7.955E-05	1.438E-05	1.875E-05	1.438E-05	7.955E-06	2.178E-06	4.297E-07
19	1.955E-10	3.155E-09	3.418E-08	2.406E-07	1.165E-06	7.940E-06	7.330E-33	7.040E-06	5.373E-06	1.168E-06	2.464E-07	
20	1.047E-10	1.587E-09	1.619E-08	1.102E-07	4.256E-07	1.462E-06	2.806E-06	3.439E-06	2.806E-06	1.462E-06	4.956E-07	1.102E-07
21	4.052E-11	5.873E-10	5.727E-09	3.738E-08	1.622E-07	4.644E-07	8.755E-07	1.032E-06	9.755E-07	4.644E-07	1.622E-07	3.736E-08
22	1.125E-11	1.576E-10	1.436E-09	9.397E-09	3.967E-08	1.114E-07	2.072E-07	2.534E-07	2.072E-07	1.114E-07	3.967E-08	9.397E-09
23	2.611E-12	3.033E-11	2.719E-10	1.772E-09	7.127E-09	1.970E-08	3.830E-08	4.451E-33	3.830E-08	1.970E-08	7.127E-09	1.722E-09
24	2.99CE-13	4.116E-12	3.741E-11	2.270E-10	9.252E-10	2.529E-09	4.626E-09	5.558E-09	4.626E-09	2.529E-09	9.252E-10	2.270E-10
25	1.779E-14	3.90CE-13	3.539E-12	2.127E-11	8.578E-11	2.324E-10	4.229E-10	5.163E-10	4.228E-10	2.324E-10	8.578E-11	2.127E-11

***	6 GAMMADOSES :	7 ***	8 DOSE (REM)	9	10	11	12	13	14	15	16	17
1	0.00CE+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	9.641E-07	1.449E-03	9.641E-07	0.000E+00	0.000E+00	0.000E+00
2	0.00CE+00	0.000E+00	0.000E+00	0.000E+00	2.274E-09	7.769E-03	9.455E-06	2.128E-03	9.455E-06	7.769E-08	2.274E-09	0.000E+00
3	0.00CE+00	0.000E+00	0.000E+00	3.337E-10	2.947E-09	2.904E-07	1.966E-05	8.597E-04	1.966E-05	2.904E-07	9.947E-09	3.187E-10
4	0.00CE+00	0.000E+00	4.829E-11	1.133E-09	2.660E-08	5.879E-07	2.652E-05	4.443E-04	2.652E-05	5.879E-07	2.688E-08	1.183E-09
5	0.00CE+00	8.56CE-12	1.798E-10	7.055E-09	5.475E-08	1.241E-07	3.360E-05	2.826E-04	3.360E-05	8.241E-07	5.475E-08	3.055E-09
6	3.428E-13	2.444E-11	4.503E-10	2.520E-08	1.410E-07	1.157E-06	4.042E-05	1.376E-04	4.157E-05	1.140E-06	8.410E-08	6.830E-09
7	3.223E-12	7.995E-11	4.549E-10	1.145E-08	1.115E-07	1.739E-06	4.042E-05	1.333E-04	4.042E-05	1.739E-06	1.115E-07	1.145E-08
8	7.594E-12	1.599E-10	1.777E-09	1.663E-08	1.446E-07	2.605E-06	3.600E-05	9.738E-05	3.680E-05	2.605E-06	1.446E-07	1.663E-08
9	1.568E-11	2.949E-10	2.844E-09	2.104E-08	1.917E-07	3.225E-06	3.284E-05	7.309E-05	3.284E-05	3.225E-06	1.917E-07	2.164E-08
10	3.016E-11	4.926E-10	4.566E-09	2.711E-08	2.610E-07	3.776E-06	2.881E-05	5.536E-05	2.881E-05	3.776E-06	2.610E-07	2.711E-08
11	5.426E-11	7.219E-10	6.053E-09	3.540E-08	3.573E-07	4.520E-06	2.488E-05	4.189E-05	2.488E-05	4.283E-06	3.573E-07	3.340E-08
12	8.868E-11	9.546E-10	6.117E-09	4.054E-08	4.053E-07	4.715E-06	2.116E-05	3.152E-05	2.116E-05	4.715E-06	4.851E-07	4.084E-08
13	1.428E-10	1.166E-09	7.043E-09	4.594E-08	5.619E-07	4.630E-06	1.724E-05	2.372E-05	1.724E-05	4.583E-06	5.619E-07	4.984E-08
14	1.869E-10	1.365E-09	7.753E-09	5.061E-08	6.210E-07	4.035E-06	1.336E-05	1.746E-05	1.336E-05	4.035E-06	5.911E-07	5.661E-08
15	2.002E-10	1.425E-09	8.118E-09	5.347E-08	6.565E-07	3.320E-06	9.218E-06	1.251E-05	9.218E-06	3.320E-06	5.765E-07	6.047E-08
16	2.13CE-10	1.360E-09	8.045E-09	7.323E-08	5.161E-07	2.536E-06	6.943E-06	8.584E-06	6.943E-06	2.536E-06	5.161E-07	7.323E-08
17	2.006E-10	1.174E-09	7.226E-09	6.644E-08	4.130E-07	1.751E-06	4.670E-06	5.615E-06	4.670E-06	1.751E-06	4.130E-07	6.644E-08
18	1.615E-10	3.950E-10	5.527E-09	4.755E-08	2.704E-07	1.057E-06	2.504E-06	3.034E-06	2.504E-06	1.057E-06	2.704E-07	4.705E-08
19	1.112E-10	5.861E-10	3.447E-09	2.673E-08	1.467E-07	5.269E-07	1.138E-06	1.579E-06	1.188E-06	5.280E-07	1.467E-07	2.673E-08
20	6.442E-11	3.357E-10	1.711E-09	1.199E-08	6.023E-08	2.068E-07	4.352E-07	5.226E-07	4.352E-07	2.068E-07	6.021E-08	1.169E-08
21	3.219E-11	1.525E-10	6.921E-10	3.756E-09	1.736E-08	5.893E-08	1.214E-07	1.540E-07	1.214E-07	5.893E-08	1.736E-08	3.756E-09
22	1.375E-11	6.096E-11	2.450E-10	9.733E-10	4.133E-09	1.227E-08	2.423E-08	3.112E-08	2.423E-08	1.132E-08	4.132E-09	9.732E-10
23	5.138E-12	2.033E-11	7.509E-11	2.470E-10	7.355E-10	1.995E-09	3.817E-09	4.742E-09	3.817E-09	1.995E-09	7.356E-10	2.426E-10
24	2.013E-12	6.102E-12	2.033E-11	5.925E-11	1.451E-10	2.985E-10	5.304E-10	6.268E-10	5.304E-10	2.985E-10	1.451E-10	5.926E-11
25	7.119E-13	1.787E-12	4.773E-12	1.285E-11	2.930E-11	5.390E-11	7.977E-11	8.958E-11	7.977E-11	5.390E-11	2.930E-11	1.285E-11

13400 SEC. AFTER START OF RELEASE
107. 180 PUFFS RELEASED AND 10C HAVE LEFT THE GRID

	6	7	8	9	10	11	12	13	14	15	16	17
***	Z-PLAN NO	= 1 ***	DOSE (GSA/**	) *******	**********	**********	**********	**********	**********	**********	**********	**********
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.540E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.353E-07	5.069E-02	2.353E-07	0.000E+00	0.000E+00	0.000E+00
3	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.284E-09	6.748E-05	1.621E-02	6.748E-05	1.284E-09	0.000E+00	0.000E+00
4	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.142E-11	3.163E-07	3.723E-04	8.231E-03	3.723E-04	2.165E-07	1.140E-11	0.000E+00
5	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.603E-09	9.791E-07	8.759E-04	5.113E-03	5.759E-04	1.391E-06	3.031E-10	0.000E+00
6	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.973E-08	1.617E-07	8.354E-04	3.541E-03	9.364E-04	1.617E-05	5.975E-08	9.833E-11	
7	0.000E+00	0.000E+00	0.000E+00	1.934E-09	4.433E-07	4.123E-05	2.904E-03	2.114E-03	2.904E-03	4.123E-05	4.433E-07	1.947E-09	
8	0.000E+00	0.000E+00	0.000E+00	1.740E-08	1.772E-06	7.403E-05	4.532E-03	3.022E-03	4.532E-03	7.403E-05	1.772E-06	1.740E-08	
9	0.000E+00	4.146E-12	9.661E-10	1.677E-07	4.737E-06	1.077E-04	6.068E-03	3.518E-03	6.068E-03	1.079E-04	4.737E-06	4.963E-08	
10	0.000E+00	6.921E-11	1.611E-08	2.674E-07	9.674E-06	1.379E-04	7.452E-03	1.330E-03	7.452E-03	1.379E-04	9.674E-06	3.119E-07	
11	2.295E-12	4.550E-10	1.175E-07	1.541E-06	1.611E-04	6.826E-03	1.115E-03	6.826E-03	1.619E-04	1.641E-05	8.175E-07		
12	4.051E-11	7.030E-09	1.775E-06	3.442E-05	1.795E-04	6.234E-03	3.517E-04	6.234E-03	1.796E-04	2.442E-05	1.739E-06		
13	2.106E-10	7.252E-09	1.856E-07	3.305E-05	1.915E-04	5.891E-03	8.232E-04	5.891E-03	1.915E-04	3.305E-05	1.166E-06		
14	8.157E-10	2.809E-08	7.193E-07	1.289E-04	5.201E-04	5.201E-03	7.203E-04	5.201E-03	1.955E-04	4.169E-05	5.119E-06		
15	2.570E-09	8.803E-08	2.435E-06	4.399E-04	5.201E-04	4.764E-03	9.366E-04	4.764E-03	2.018E-04	4.685E-05	7.553E-06		
16	6.867E-09	1.907E-07	1.225E-05	1.050E-03	5.735E-05	5.021E-04	4.374E-03	5.674E-04	4.374E-03	2.021E-04	5.735E-05	1.038E-05	
17	1.600E-08	3.037E-07	1.955E-06	1.347E-03	6.389E-05	2.033E-04	4.027E-03	5.094E-04	4.027E-03	2.003E-04	6.388E-05	1.347E-05	
18	3.315E-08	5.031E-07	3.831E-06	1.667E-03	8.043E-05	1.999E-04	3.718E-03	4.994E-04	3.715E-03	1.969E-04	6.942E-05	1.671E-05	
19	6.201E-08	5.606E-07	3.831E-06	1.995E-03	7.390E-05	1.992E-04	3.439E-03	4.182E-04	3.439E-03	1.922E-04	7.390E-05	1.995E-05	
20	1.047E-07	1.220E-06	5.297E-05	7.710E-05	1.361E-04	3.181E-03	3.007E-04	3.181E-03	1.861E-04	7.710E-05	2.297E-05		
21	1.506E-07	1.122E-06	5.297E-05	7.710E-05	1.977E-04	2.920E-03	3.449E-04	2.920E-03	1.777E-04	7.838E-05	2.937E-05		
22	2.133E-07	1.389E-06	6.912E-05	7.647E-05	1.647E-04	2.622E-03	3.063E-04	2.622E-03	1.647E-04	7.647E-05	2.647E-05		
23	2.484E-07	1.504E-06	7.086E-05	6.961E-05	1.445E-04	2.243E-03	2.598E-04	2.243E-03	1.445E-04	6.961E-05	2.545E-05		
24	2.461E-07	1.420E-06	6.952E-05	5.773E-05	1.151E-04	1.769E-03	2.036E-04	1.769E-03	1.161E-04	5.778E-05	2.189E-05		
25	2.042E-07	1.136E-06	4.906E-06	1.637E-05	4.201E-05	8.264E-04	1.242E-04	1.423E-04	1.242E-04	3.264E-05	4.201E-05	1.637E-05	

	6	7	8	9	10	11	12	13	14	15	16	17
***	GAMMADOSES	: ***	DOSE (REM)	**********	**********	**********	**********	**********	**********	**********	**********	**********
1	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.032E-06	2.933E-03	2.032E-06	0.000E+00	0.000E+00	0.000E+00
2	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.779E-09	1.815E-07	2.024E-05	4.451E-03	2.024E-05	1.815E-07	5.779E-09	0.000E+00
3	0.000E+00	0.000E+00	0.000E+00	5.779E-10	2.609E-08	6.876E-07	4.401E-05	1.908E-03	4.401E-05	6.876E-07	2.609E-08	9.989E-10
4	0.000E+00	0.000E+00	1.665E-10	3.332E-09	7.144E-08	1.438E-06	6.337E-05	1.022E-03	6.337E-05	1.638E-06	7.144E-08	3.616E-09
5	0.000E+00	3.699E-11	9.655E-10	9.542E-09	1.490E-07	2.137E-06	8.600E-05	7.159E-04	8.600E-05	2.137E-06	1.498E-07	9.542E-09	
6	1.991E-12	1.599E-10	1.720E-09	2.087E-08	2.415E-07	3.191E-06	1.145E-04	5.116E-04	1.145E-04	3.191E-06	2.415E-07	2.087E-08	
7	3.080E-11	3.834E-10	3.447E-09	3.772E-08	3.442E-07	4.284E-06	1.204E-04	3.932E-04	1.204E-04	5.288E-06	3.442E-07	3.799E-08	
8	5.165E-11	7.825E-10	7.109E-09	5.956E-08	4.831E-07	6.644E-06	1.193E-04	3.146E-04	1.193E-04	8.644E-06	4.831E-07	5.856E-08	
9	1.105E-10	1.480E-09	1.102E-08	8.294E-08	7.161E-07	1.176E-05	1.169E-04	2.581E-04	1.169E-04	1.176E-05	7.161E-07	8.294E-08	
10	2.210E-10	2.571E-09	1.733E-08	1.153E-07	1.052E-06	1.559E-05	1.138E-04	2.165E-04	1.138E-04	1.529E-05	1.089E-06	1.158E-07	
11	4.176E-10	4.007E-09	2.553E-08	1.620E-07	1.686E-06	1.950E-05	1.103E-04	1.339E-04	1.103E-04	1.950E-05	1.686E-06	1.620E-07	
12	7.310E-10	5.280E-09	3.554E-08	2.233E-07	2.833E-06	2.452E-05	1.069E-04	1.576E-04	1.069E-04	2.452E-05	2.633E-06	2.293E-07	
13	1.172E-09	5.461E-09	4.869E-08	3.315E-07	3.575E-06	2.700E-05	1.012E-04	1.377E-04	1.012E-04	2.700E-05	3.577E-06	3.315E-07	
14	1.936E-09	1.248E-08	6.623E-08	4.951E-07	4.537E-06	3.007E-05	8.618E-05	1.072E-04	8.618E-05	3.007E-05	5.579E-06	7.150E-07	
15	2.830E-09	1.715E-08	9.001E-08	7.130E-07	5.579E-06	3.007E-05	8.618E-05	1.072E-04	8.618E-05	3.007E-05	5.579E-06	7.150E-07	
16	4.338E-09	2.285E-08	1.243E-07	1.059E-06	6.723E-06	3.043E-05	7.221E-05	8.627E-05	7.221E-05	3.043E-05	6.721E-06	1.058E-06	
17	6.432E-09	3.011E-08	1.736E-07	1.434E-06	7.990E-06	3.052E-05	7.313E-05	8.661E-05	7.313E-05	3.052E-05	7.990E-06	1.494E-06	
18	8.614E-09	3.964E-08	2.430E-07	1.832E-06	9.375E-06	3.042E-05	6.731E-05	7.846E-05	6.731E-05	3.042E-05	9.375E-06	1.882E-06	
19	1.111E-08	5.205E-08	3.431E-07	2.372E-06	1.088E-05	3.019E-05	6.243E-05	7.173E-05	6.243E-05	3.019E-05	1.088E-05	2.272E-06	
20	1.396E-08	6.581E-08	4.318E-07	2.970E-06	1.180E-05	2.990E-05	5.761E-05	6.541E-05	5.761E-05	2.990E-05	1.188E-05	2.670E-06	
21	1.692E-08	8.270E-08	6.677E-07	3.033E-06	1.315E-05	2.910E-05	5.309E-05	5.956E-05	5.309E-05	2.910E-05	1.228E-05	3.033E-06	
22	1.945E-08	1.119E-07	8.225E-07	3.426E-06	1.515E-05	2.760E-05	4.773E-05	5.317E-05	4.773E-05	2.760E-05	1.215E-05	3.265E-06	
23	2.096E-08	1.272E-07	8.329E-07	3.922E-06	1.104E-05	2.408E-05	4.111E-05	4.516E-05	4.111E-05	2.488E-05	1.104E-05	3.289E-06	
24	2.016E-08	1.266E-07	7.505E-07	3.952E-06	9.033E-06	2.066E-05	3.164E-05	3.432E-05	3.164E-05	2.066E-05	9.033E-06	2.952E-06	
25	1.666E-08	1.024E-07	5.777E-07	2.213E-06	6.539E-06	1.451E-05	2.217E-05	2.455E-05	2.217E-05	1.451E-05	6.539E-06	2.213E-06	



8.4. Example no. 4

The files INDATA and WINDDA for calculations of integrated air-concentrations with wind shear are shown below:

8.4.1. INDATA file

```
&PRIMDA
TITLE='KFK-MODELCOMPARISON JAN. 1985: EXPERIMENT 1. SHEAR',
ICOLS=100,JROWS=64,KPLANS=1,DELX=300.,DELY=300.,DELZ=30.,
TDEL=0.0,CHEMIN=0.1E-15,NTADV=10,TAU=10,MAPTIM=600,REFLEC=1.,
NRELSE=9999,IDMP=1,JDMP=24,KDMP=1,ISMODE=4,ITAPIN=0,
KOORD=0,XUTM= 0.,YUTM=0.,
INPRNT='YES',OUTDAT='OUTPUT',OUTMOD='DOSE',OUTWFD='NOOUTP'
&END
&RELDAT
PUFFTX='SOURCEHEIGHT=100 METERS, SOURCESTRENGTH=1/3600',
NRMULT=1,
XSOURC(1)=0.00 ,YSOURC(1)=31.0,ZSOURC(1)=0.33333333333,
STRTRL(1)=0,STOPRL(1)=3600,SOURST(1)=2.7777777778,HEATFX(1)=0.,
&END
&STABDA
STABTX='MIXING HEIGHT IS INFINITE',
DTDZ=0.,ZMTAB(1)=0.,ZMTAB(2)=0.,ZMTAB(3)=0.,ZMTAB(4)=0.,
ZMTAB(5)= 0.,ZMTAB(6)=0.,
DSHEAR=1,ALFSHE=45.0,HSHEMI=1.0,HSHEMA=201.0,
USH=1,USTAR=0.265,LMOBUK=70.0,ZROUGH=1.2,DZERO=0.0,
DUSDUM=0,
DEPMOD=0,OUTDEP='NOOUTP',
VDTAB(1,1)=0.010,VDTAB(2,1)=0.010,VDTAB(3,1)=0.010,
VDTAB(4,1)=0.010,VDTAB(5,1)=0.010,VDTAB(6,1)=0.010,
VDTAB(1,2)=0.010,VDTAB(2,2)=0.010,VDTAB(3,2)=0.010,
VDTAB(4,2)=0.010,VDTAB(5,2)=0.010,VDTAB(6,2)=0.010,
VDTAB(1,3)=0.010,VDTAB(2,3)=0.010,VDTAB(3,3)=0.010,
```

```
 VDTAB(4,3)=0.010,VDTAB(5,3)=0.010,VDTAB(6,3)=0.010,
 VDTAB(1,4)=0.010,VDTAB(2,4)=0.010,VDTAB(3,4)=0.010,
 VDTAB(4,4)=0.010,VDTAB(5,4)=0.010,VDTAB(6,4)=0.010,
 VDTAB(1,5)=0.010,VDTAB(2,5)=0.010,VDTAB(3,5)=0.010,
 VDTAB(4,5)=0.010,VDTAB(5,5)=0.010,VDTAB(6,5)=0.010,
 LDTAB(1)=0.000042,LDTAB(2)=0.000106,LDTAB(3)=0.000233,
 TIMRAI(1)=1692,TIMRAI(2)=2628,TIMRAI(3)=2232
 &END
 &GAMDA
 GAMMOD=0,OUTGAM='NOOUTP',
 FGAM(1)=0.0,FGAM(2)=0.0,FGAM(3)=0.0,FGAM(4)=0.0,FGAM(5)=0.0,
 FGAM(6)=1.0,FGAM(7)=0.0,FGAM(8)=0.0
 &END
```

Note: One space is required in the beginning of each line.

8.4.2. WINDDA file

```
&WINPAR
WNDTLE='WINDDATA KFK EXPERIMENT NO. 1 ',
TIME=' 12:10',DATE='14-FEB-85',ITSP=600,
NP=1,NFX=100,NFY=64,NSTL=1,NSKIP=0,
RTE=0.,RCH=100.,
NAMST(1)='KFK',X(1)=1.,Y(1)=32.,COR(1)=0.,CONFAC(1)=1.0000,
A(1)=0.,ISXMIN(1)=1,ISXMAX(1)=100,ISYMIN(1)=1,ISYMAX(1)=64,
&END
' 12:10'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 12:20'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 12:30'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 12:40'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 12:50'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 13:00'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 13:10'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 13:20'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 13:30'
```

```
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 13:40'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 13:50'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 14:00'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 14:10'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 14:20'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 14:30'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 14:40'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 14:50'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 15:00'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 15:10'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 15:20'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 15:30'
```

```
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 15:40'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 15:50'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 16:00'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 16:10'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 16:20'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 16:30'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 16:40'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 16:50'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 17:00'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 17:10'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 17:20'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 17:30'
```

```
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 17:40'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 17:50'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 18:00'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 18:10'
'KFK',2.6,2.3,270,1.8779,0.0
'EOWR'
' 18:20'
'KFK',2.6,2.3,270,1.8779,0.0
'STOP'
```



Example no. 4: Air concentrations at ground level.

8.5. Example no. 5

The files INDATA and WINDDA for calculations of integrated concentrations of a fictive radioactive isotope with a half-life of 1 hour is shown below.
The data is the same as in example 2 except for the isotope data.

8.5.1. INDATA file

```
&PRIMDA
TITLE='DEMO 1. DRY AND WET DEPOSITION  ',
ICOLS=100,JROWS=64,KPLANS=1,DELX=300.,DELY=300.,DELZ=30.,
TDEL=0.0,CHEMIN=0.1E-15,NTADV=60,TAU=60,MAPTIM=900,REFLEC=1.,
NRELSE=9999,IDMP=1,JDMP=26,KDMP=1,ISMODE=1,ITAPIN=0,
KOORD=0,XUTM=332.7609,YUTM=5381.6323,
INPRNT='YES',OUTDAT='OUTPUT',OUTMOD='DOSE',OUTWFD='NOOUTP'
&END
&RELDAT
PUFFTX='SOURCEHEIGHT=100 METERS, SOURCESTRENGTH=1/3600',
NRMULT=1,
XSOURC(1)=0.0,YSOURC(1)=32.0,ZSOURC(1)=3.3333,
STRTRL(1)=0,STOPRL(1)=3600,SOURST(1)=277.77777778,HEATFX(1)=0.,
ISNAVN(1)='FIKTIV',ISDCAY(1)=1.9254088E-4
&END
&STABDA
STABTX='MIXING HEIGHT VARIES WITH STABILITY .',
DTDZ=0.,ZMTAB(1)=1620.0,ZMTAB(2)=1200.,ZMTAB(3)=810.,
ZMTAB(4)=570.,ZMTAB(5)=330.,ZMTAB(6)=210.,
SIGYIN=1.,SIGZIN=1.0,
DSHEAR=0,ALFSHE=-5.0,HSHEMI=0.0,HSHEMA=200.0,
USH=0,USTAR=0.1397,LMOBUK=44.64,ZROUGH=0.1,DZERO=0.0,
DUSDUM=0,
DEPMOD=1,OUTDEP='OUTPUT',
```

```
 VDTAB(1,1)=0.010,VDTAB(2,1)=0.010,VDTAB(3,1)=0.010,
 VDTAB(4,1)=0.010,VDTAB(5,1)=0.010,VDTAB(6,1)=0.010,
 VDTAB(1,2)=0.010,VDTAB(2,2)=0.010,VDTAB(3,2)=0.010,
 VDTAB(4,2)=0.010,VDTAB(5,2)=0.010,VDTAB(6,2)=0.010,
 VDTAB(1,3)=0.010,VDTAB(2,3)=0.010,VDTAB(3,3)=0.010,
 VDTAB(4,3)=0.010,VDTAB(5,3)=0.010,VDTAB(6,3)=0.010,
 VDTAB(1,4)=0.010,VDTAB(2,4)=0.010,VDTAB(3,4)=0.010,
 VDTAB(4,4)=0.010,VDTAB(5,4)=0.010,VDTAB(6,4)=0.010,
 VDTAB(1,5)=0.010,VDTAB(2,5)=0.010,VDTAB(3,5)=0.010,
 VDTAB(4,5)=0.010,VDTAB(5,5)=0.010,VDTAB(6,5)=0.010,
 LDTAB(1)=0.000042,LDTAB(2)=0.000106,LDTAB(3)=0.000233,
 TIMRAI(1)=1692,TIMRAI(2)=2628,TIMRAI(3)=2232
 &END
```

Note: One space is required in the beginning of each line.

8.5.2. WINDDA file

```
&WINPAR
WNDTLE='WINDDATA (CONSTANT WIND) FOR KFK-INTERCOMP. TEST',
TIME=' 12:00',DATE='25-MAR-85',ITSP=1800,
NP=1,NFX=100,NFY=64,NSTL=1,NSKIP=0,
RTE=0.,RCH=100.,HWOBS=100.,
NAMST(1)='KFK',X(1)=0.,Y(1)=32.,COR(1)=0.,CONFAC(1)=1.0000,
A(1)=0.,ISXMIN(1)=1,ISXMAX(1)=100,ISYMIN(1)=1,ISYMAX(1)=64,
&END
' 12:00'
'KFK','D','D',270.,5.00,0.0
'EOWR'
' 12:30'
'KFK','D','D',270.,5.00,0.0
'EOWR'
' 13:00'
'KFK','D','D',270.,5.00,0.0
'EOWR'
' 13:30'
'KFK','D','D',270.,5.00,2.0
'EOWR'
' 14:00'
'KFK','D','D',270.,5.00,0.0
'EOWR'
' 14:30'
'KFK','D','D',270.,5.00,0.0
'EOWR'
' 15:00'
'KFK','D','D',270.,5.00,0.0
'EOWR'
' 15:30'
'KFK','D','D',270.,5.00,0.0
'EOWR'
' 16:00'
```

```
'KFK','D','D',270.,5.00,0.0
'EOWR'
' 16:30'
'KFK','D','D',270.,5.00,0.0
'STOP'
```



Example no. 5: Concentrations of deposited material

8.6. Example no. 6

The files INDATA and WINDDA for calculations of total individual and collective doses from a release of Iodine 131.

8.6.1. INDATA file

```
&PRIMDA
TITLE='RINGHALS: IODINE DOSES TO BONE MARROW: LAESQ',
ICOLS=100,JROWS=100,KPLANS=1,DELX=4000.,DELY=4000.,DELZ=30.,
TOEL=0.0,CHEMIN=0.1E-15,NTADV=60,TAU=60,MAPTIM=900,REFLEC=1.,
NRELSE=10860,IDMP= 10,JDMP=34,KDMP=1,ISMODE=1,ITAPIN=0,
KOORD=1,XUTM=400.0000,YUTM=6030.0000,IBFOPT=4,
INPRNT='YES',OUTDAT='NOOUTP',OUTMOD='DOSE',OUTWFD='NOOUTP',
OUTBEP='OUTPUT'
&END
&RELDAT
PUFFTX='SOURCEHEIGHT=100 METERS, SOURCESTRENGTH=5.865E+7 CI',
NRMULT=1,
XSOURC(1)=690.0,YSOURC(1)=6200.0,ZSOURC(1)=3.333333333,
STRTRL(1)=0,STOPRL(1)=10800,SOURST(1)=5430.55555556,
HEATFX(1)=0.,
ISNAVN(1)='J 131 ',ISDCAY(1)=9.941E-7
&END
&STABDA
STABTX='MIXING HEIGHT VARIES WITH STABILITY .',
DTDZ=0.,ZMTAB(1)=1020.0,ZMTAB(2)=1020.,ZMTAB(3)=1020.,
ZMTAB(4)=1020.,ZMTAB(5)=510.,ZMTAB(6)=210.,
SIGYIN=1.,SIGZIN=1.0,
DSHEAR=0,ALFSHE=-5.0,HSHEMI=0.0,HSHEMA=200.0,
USH=0,USTAR=0.1397,LMOBUK=44.64,ZROUGH=0.1,DZERO=0.0,
DUSDUM=0,
DEPMOD=1,OUTDEP='NOOUTP',
VDTAB(1,1)=0.010,VDTAB(2,1)=0.010,VDTAB(3,1)=0.010,
```

```
VDTAB(4,1)=0.010,VDTAB(5,1)=0.010,VDTAB(6,1)=0.0005,
VDTAB(1,2)=0.010,VDTAB(2,2)=0.010,VDTAB(3,2)=0.010,
VDTAB(4,2)=0.010,VDTAB(5,2)=0.010,VDTAB(6,2)=0.002,
VDTAB(1,3)=0.010,VDTAB(2,3)=0.010,VDTAB(3,3)=0.010,
VDTAB(4,3)=0.010,VDTAB(5,3)=0.010,VDTAB(6,3)=0.004,
VDTAB(1,4)=0.010,VDTAB(2,4)=0.010,VDTAB(3,4)=0.010,
VDTAB(4,4)=0.010,VDTAB(5,4)=0.010,VDTAB(6,4)=0.007,
VDTAB(1,5)=0.010,VDTAB(2,5)=0.010,VDTAB(3,5)=0.010,
VDTAB(4,5)=0.010,VDTAB(5,5)=0.010,VDTAB(6,5)=0.010,
LDTAB(1)=0.000100,LDTAB(2)=0.000350,LDTAB(3)=0.000350,
TIMRAI(1)=3600,TIMRAI(2)=3600,TIMRAI(3)=3600
&END
&GAMDA
GAMMOD=1,OUTGAM='NOOUTP',
FGAM(1)=0.0262,FGAM(2)=0.0,FGAM(3)=0.0027,
FGAM(4)=0.8787,FGAM(5)=0.0929,
FGAM(6)=0.0,FGAM(7)=0.0,FGAM(8)=0.0
&END
&DOSDA
RADDOS=.TRUE.,INDOS=.TRUE.,GAMDEP=.TRUE.,
ORGNAM='AK. MARV',DINHAL=150.0,BRRAT=3.5E-4,FLTFAK=1.0,
GDISO=1.59358E-3,DEPSHD=0.798,GAMSHD=1.0,ORGSHD=0.483,
TDPINT=99900,OUTTOT='OUTPUT'
&END
```

8.6.2. WINDDA file

```
&WINPAR
WNDTLE='WINDDATA (CONSTANT WIND) FOR LAESQ CALC.',
TIME='  0:00',DATE='29-SEP-86',ITSP=900,
NP=1,NFX=100,NFY=100,NSTL=2,NSKIP=0,
RTE=0.,RCH=100.,HWOBS=100.,
NAMST(1)='RIS',X(1)=693.85,Y(1)=6176.65,COR(1)=0.,CONFAC(1)=1.,
A(1)=0.,ISXMIN(1)=390000,ISXMAX(1)=842000,
ISYMIN(1)=6000000,ISYMAX(1)=6500000,
&END
'  0:00'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 00:15'
'RIS','D','D',90.,5.00,0.0
'EOWR'
' 00:30'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 00:45'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 01:00'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 01:15'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 01:30'
'RIS','F','F',90.,4.00,0.0
'EOWR'
'  1:45'
'RIS','F','F',90.,4.00,0.0
'EOWR'
```

```
' 02:00'
'RIS','D','D',90.,4.00,0.0
'EOWR'
' 02:15'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 02:30'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 02:45'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 03:00'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 03:15'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 03:30'
'RIS','F','F',90.,4.00,0.0
'EOWR'
' 03:45'
'RIS','F','F',90.,4.00,1.0
'EOWR'
' 04:00'
'RIS','F','F',90.,4.00,1.0
'EOWR'
' 04:15'
'RIS','F','F',90.,4.00,1.0
'EOWR'
' 04:30'
'RIS','F','F',90.,4.00,1.0
'EOWR'
'  4:45'
'RIS','F','F',90.,4.00,1.0
'EOWR'
```

```
' 05:00'
'RIS','D','D',90.,4.00,1.0
'EOWR'
' 05:15'
'RIS','F','F',90.,4.00,1.0
'EOWR'
' 05:30'
'RIS','F','F',90.,4.00,1.0
'EOWR'
' 05:45'
'RIS','F','F',90.,4.00,1.0
'EOWR'
' 06:00'
'RIS','F','F',90.,4.00,1.0
'STOP'
```



Example no. 6: Wind field

The area of interest for the dose calculations is shown



Example no. 6: Total doses to individuals



Example no. 6: Collective doses.

8.7. Example no. 7

The files INDATA and WINDDA for calculations of a release of HCl in complex terrain. Pentafication of puffs is in effect.

8.7.1. INDATA file

```
&PRIMDA
TITLE='VANDENBERG AFB. SHUTTLE SITE: 100 M',
ICOLS=50,JROWS=80,KPLANS=1,DELX=500.,DELY=500.,DELZ=50.,
TDEL=0.0,CHEMIN=1.0E-16,NTADV=20,TAU=20,MAPTIM=900,REFLEC=0.,
NRELSE=9999,IDMP=7,JDMP=38,KDMP=1,ISMODE=3,ITAPIN=0,
KOORD=1,XUTM= 714.1090386,YUTM=3809.792283,
INPRNT='YES',OUTDAT='OUTPUT',OUTMOD='DOSE',OUTWFD='OUTPUT',
PENTPF=.TRUE.,SYMPEN= 600.,ROCKET=.FALSE.
&END
&RELDAT
PUFFTX='SOURCEHEIGHT=100 METERS, SOURCE= 2. TON HCL PR. S',
NRMULT=1,
XSOURC(1)=718.0495114 ,YSOURC(1)=3829.16345807,ZSOURC(1)=2.000,
STRTRL(1)=0,STOPRL(1)=20,SOURST(1)=2.05E9,HEATFX(1)=0.,
ISNAVN(1)='OTHER ',ISDCAY(1)=1.0000E-30
&END
&STABDA
STABTX='MIXING HEIGHT IS 1000 M',
DTDZ=0.,ZMTAB(1)=1000.,ZMTAB(2)=1000.,ZMTAB(3)=1000.,
ZMTAB(4)=1000.,ZMTAB(5)=1000.,ZMTAB(6)=1000.,
DSHEAR=0,ALFSHE=45.0,HSHEMI=1.0,HSHEMA=201.0,
USH=0,USTAR=0.265,LMOBUK=70.0,ZROUGH=1.2,DZERO=0.0,
DUSDUM=0,
DEPMOD=0,OUTDEP='NOOUTP',
VDTAB(1,1)=0.010,VDTAB(2,1)=0.010,VDTAB(3,1)=0.010,
VDTAB(4,1)=0.010,VDTAB(5,1)=0.010,VDTAB(6,1)=0.010,
VDTAB(1,2)=0.010,VDTAB(2,2)=0.010,VDTAB(3,2)=0.010,
```

```
VDTAB(4,2)=0.010,VDTAB(5,2)=0.010,VDTAB(6,2)=0.010,
VDTAB(1,3)=0.010,VDTAB(2,3)=0.010,VDTAB(3,3)=0.010,
VDTAB(4,3)=0.010,VDTAB(5,3)=0.010,VDTAB(6,3)=0.010,
VDTAB(1,4)=0.010,VDTAB(2,4)=0.010,VDTAB(3,4)=0.010,
VDTAB(4,4)=0.010,VDTAB(5,4)=0.010,VDTAB(6,4)=0.010,
VDTAB(1,5)=0.010,VDTAB(2,5)=0.010,VDTAB(3,5)=0.010,
VDTAB(4,5)=0.010,VDTAB(5,5)=0.010,VDTAB(6,5)=0.010,
LDTAB(1)=0.000042,LDTAB(2)=0.000106,LDTAB(3)=0.000233,
TIMRAI(1)=1692,TIMRAI(2)=2628,TIMRAI(3)=2232,
SIGYIN=100.,SIGZIN=100.
&END
&GAMDA
GAMMOD=0,OUTGAM='NOOUTP',
FGAM(1)=0.0,FGAM(2)=0.0,FGAM(3)=0.0,FGAM(4)=0.0,FGAM(5)=0.0,
FGAM(6)=1.0,FGAM(7)=0.0,FGAM(8)=0.0
&END
&DOSDA
RADDOS=.FALSE.,INDOS=.FALSE.,GAMDEP=.FALSE.,
ORGNAM='COMM.DEQ',DINHAL=20715.0,BRRAT=3.5E-4,FLTFAK=0.404,
GDISO=3.04480E-3,DEPSHD=0.160,GAMSHD=0.73,ORGSHD=0.53103,
TDPINT=31536000,OUTTOT='NOOUTP'
&END
```

8.7.2. WINDDA file

```
&WINPAR
WNDTLE='WINDDATA FOR VANDENBERG AFB.: CASE 11A',
TIME=' 12:00',DATE='1984.07.14',ITSP=14400,
NP=11,NFX=50,NFY=80,NSTL=1,NSKIP=0,
RTE=4.0,RCH=100000.,HWOBS=16.4,FLOFLD=.FALSE.,
NAMST(1)='009',X(1)=724.907,Y(1)=3837.914,COR(1)=0.,
CONFAC(1)=1.0000,A(1)=0.,ISXMIN(1)=714109,ISXMAX(1)=738609,
ISYMIN(1)=3837763,ISYMAX(1)=3840763,
NAMST(2)='014',X(2)=727.377,Y(2)=3831.980,COR(2)=0.,
CONFAC(2)=1.0000,A(2)=0.,ISXMIN(2)=725550,ISXMAX(2)=738609,
ISYMIN(2)=3809792,ISYMAX(2)=3834817,
NAMST(3)='052',X(3)=721.414,Y(3)=3845.626,COR(3)=0.,
CONFAC(3)=1.0000,A(3)=0.,ISXMIN(3)=719640,ISXMAX(3)=738609,
ISYMIN(3)=3840763,ISYMAX(3)=3849292,
NAMST(4)='054',X(4)=721.532,Y(4)=3835.508,COR(4)=0.,
CONFAC(4)=1.0000,A(4)=0.,ISXMIN(4)=714109,ISXMAX(4)=738609,
ISYMIN(4)=3834817,ISYMAX(4)=3837763,
NAMST(5)='055',X(5)=721.086,Y(5)=3829.540,COR(5)=0.,
CONFAC(5)=0.6000,A(5)=0.,ISXMIN(5)=719640,ISXMAX(5)=722550,
ISYMIN(5)=3809792,ISYMAX(5)=3834817,
NAMST(6)='056',X(6)=724.126,Y(6)=3828.984,COR(6)=0.,
CONFAC(6)=1.0000,A(6)=0.,ISXMIN(6)=722550,ISXMAX(6)=725500,
ISYMIN(6)=3809792,ISYMAX(6)=3831270,
NAMST(7)='101',X(7)=723.736,Y(7)=3832.041,COR(7)=0.,
CONFAC(7)=1.0000,A(7)=0.,ISXMIN(7)=722560,ISXMAX(7)=725550,
ISYMIN(7)=3831270,ISYMAX(7)=3834817,
NAMST(8)='102',X(8)=719.063,Y(8)=3848.291,COR(8)=0.,
CONFAC(8)=1.0000,A(8)=0.,ISXMIN(8)=714109,ISXMAX(8)=719640,
ISYMIN(8)=3840763,ISYMAX(8)=3849292,
NAMST(9)='200',X(9)=718.252,Y(9)=3831.792,COR(9)=0.,
CONFAC(9)=1.0000,A(9)=0.,ISXMIN(9)=714109,ISXMAX(9)=719640,
ISYMIN(9)=3831270,ISYMAX(9)=3834817,
NAMST(10)='300',X(10)=719.640,Y(10)=3834.692,COR(10)=0.,
```

```
CONFAC(10)=1.0000,A(10)=0.,ISXMIN(10)=719640,ISXMAX(10)=719640,
ISYMIN(10)=3834817,ISYMAX(10)=3834817,
NAMST(11)='301',X(11)=717.581,Y(11)=3828.803,COR(11)=0.,
CONFAC(11)=1.0000,A(11)=0.,ISXMIN(11)=714109,ISXMAX(11)=719640,
ISYMIN(11)=3809792,ISYMAX(11)=3831270,
&END
' 00:40'
'009', 29.7,'E', 266, 1.5, 0.0
'014', 17.2,'E', 137, 2.7, 0.0
'052',  8.5,'E', 180, 0.3, 0.0
'054', 11.7,'E', 276, 0.6, 0.0
'055',  5.5,'E', 127, 2.5, 0.0
'056',  3.1,'E', 129, 4.6, 0.0
'101', 15.6,'E',  69, 0.5, 0.0
'102', 10.3,'E', 174, 1.1, 0.0
'200', 32.4,'E', 240, 1.3, 0.0
'300', 38.6,'E', 191, 1.7, 0.0
'301', 25.9,'E', 210, 1.3, 0.0
'STOP'
```

The output from this example is shown on the following pages.



Output from example no. 7

REFERENCES

BAY82 A. Bayer, K. Burkart, J. Ehrhardt et al., The German Risk Study: Accidental Consequence Model and Results of the Study, Nuclear Technology, Vol. 59, 1982, pp. 20-50.

BRI69 G.A. Briggs, Plume Rise, AEC Critical Review Series, TID-25075, National Technical Information Information Service, 1969.

BUN82 Bundesminister der Justiz (Hrsg.), Störfallberechnungsgrundlagen, Bundesanzeiger, Jahrgang 35, Nummer 245a, 1983. Der Bundesminister der Justitz, 5300 Bonn, FRG.

HAR80 S. Hartwig, G. Schnatz, TRANSLOC, Ein numeriches Modell zur Simulation von Dispersionsvorgängen in der Atmosphære und seine Anwendung fur die Ausbreitung radioaktiver substanzen bei einem Reaktorstörfall, Europaishes Seminar über radioaktive Ableitunggen, RISØ, 22-25 April 1980.

KLU68 W. Klug, Ein Verfahren zur Bestimmung von Ausbreitungskategorien aus synoptischen Beobachtungen, Staub, Vol. 29, 1968, p. 143.

MAN75 G. Manier, Vergleich zwischen Ausbreitungsklassen und Temperaturgradient, Meteorol. Rdsch. Vol. 28, 1975 pp. 6-11.

MCN80 D.J. McNaughton, D.C. Powell, RAPT - The Pacific Northwest Laboratory Air Pollutation Transport Model: A Guide, PNL-3390, UC-11, 1980.

MIK79 Torben Mikkelsen, Simulation of Obscuration Smoke Diffusion, RISQ National Laboratory, 1979

MIK80 T. Mikkelsen, S.E. Larsen and I. Troen, Use of a Puff Model to Calculate Dispersion from a Strongly Time Dependent Source, Proceedings of the European Seminar on Radioactive Releases and Their Dispersion in the Atmosphere following a Hypothetical Reactor Accident, RISØ, April 22-25, 1980, Vol. 2., 1980.

MIK82 Torben Mikkelsen, A Parametric Description of a Skewed Puff in the Diabatic Surface Layer, RISØ National Laboratory, Riso-R-476, October 1982.

MIK83 Torben Mikkelsen, The Borris Field Experiment: Observation of Smoke Diffusion in the Surface Layer over Homogeneous Terrain, RISØ National Laboratory, Riso-R-479, 1983.

MIK84 T. Mikkelsen, S.E. Larsen, and S. Thykier-Nielsen, Description of the Risø Puff Diffusion Model", Nuclear Technology, Vol. 67, oct. 1984, pp. 56-65.

MIK87a. T. Mikkelsen and S. Thykier-Nielsen, Atmospheric Dispersion over Complex Terrain, Proceedings from the U.S. Army Atmospheric Sciences Workshop on Mesoscale Meteorology, Risø National Laboratory, Roskilde, Denmark, May 12-14, 1987.

MIK876. T. Mikkelsen, S.E. Larsen and H.L. Pesceli. Diffusion of Gaussion Puffs. Q.R.J. Meteorological Soc., Vol. 113, 1987. pp. 81-105.

NYR84 K. Nyren, T. Mikkelsen, S.E. Gryning, and S. Thykier-Nielsen, Simulation of a mesoscale dispersion experiment over land-water-land area, Fourth Joint Conference on Application of Air Pollution Meteorology, Portland Oregon, 16.-19. oct. 84 (Amer. Meteor. Soc., Boston Mass. USA, 1985) pp. 251-254.

PS85a J. Päsler-Sauer, Atmospheric Dispersion in Accident Consequence Assessments. Present Modelling Future Needs and Comparative Calculations, Proceedings of the Workshop on Methods for Assessing the off-site Consequences of Nuclear Accidents, Luxembourg, April 15-19, 1985, Commission of the European Communities, EUR-Report , 1985.

PS85b J. Päsler-Sauer, Private Communication, March 1985

SLA68 D.H. Slade (editor), Meteorology and Atomic Energy, TID-24190, 1968.

STA74 G.E. Start and L.L. Wendell, Regional Effluent Dispersion Calculations Considering Spatial and Temporal Meteorological Variations, NOAA Technical Memorandum, ERL-ARL-44, 1974.

STR81 J. Straka, H. Geiß , K.J. Vogt, Diffusion of Waste Air Puffs and Plumes under Changing Weather Conditions, Atmospheric Physics, Vol. 54, No. 2., May 1981, pp. 207-221.

THY82 S. Thykier-Nielsen and S.E. Larsen, The Importance of Deposition for Individual and Collective Doses in Connection with Routine Releases from Nuclear Power Plants, RISØ National Laboratory, Riso-M-2205, 1982.

THY85 S. Thykier-Nielsen, S.E. Larsen, T. Mikkelsen, J. Ehrhardt, and H.J. Panitz, Consequences of a Nuclear Accidental Release Modelled by a Puff Model out to 200 km from the Source, Workshop on Real-time Computing of the Environmental Consequences of an Accidental Release to Atmosphere from a Nuclear Installation, Commission of the European Communities, Luxembourg, September 17-20, 1985.

THY87 S. Thykier-Nielsen, S.E. Gryning and T. Mikkelsen, Simulation of the Øresund-Experiment Tracer Releases with the Risø Mesoscale Puff Diffusion Model, The Qresund experiment, Workshop 2., Uppsala,Sweden, October 13 - 14, 1987.

WIT84 P. Wittek, W.G. Hübschmann, S. Vogt, Influence of the Atmospheric Dispersion Model Modifications on the results of the German Reactor Risk Study, 5th Int. Meeting on Thermal Nuclear Reactor Safety, Karlsruhe, September 9-13, 1984, Report KfK 3880, 1984.

INDEX

Pages

Risø National Laboratory **Risø - M - 2673**

Title and author(s)

RIMPUFF
Users Guide
Version 20

S. Thykier-Nielsen and Torben Mikkelsen

Date October 1987

Department or group
Health Physics
Meteorology and
Wind Energy

Groups own registration number(s)

Project/contract no.

Pages 154 Tables Illustrations 13 References 24

ISBN 87-550-1374-0

Abstract (Max. 2000 char.)
Abstract. An operational puff diffusion model, RIMPUFF (RIsø Mesoscale PUFF model) has been developed at Risø National Laboratory to provide risk and safety assessments in connection with e.g. nuclear installations. The computer model releases a sequence of puffs with individual pollutant and heat contents, then calculates the time-dependent concentration field, which is provided by the collection of puffs. The puffs are advected through a three-dimensional grid on the basis of a time sequence of measured horizontal wind vectors. The model code is written in standard FORTRAN 77 for a Burroughs B7800 computer. The code also runs on a VAX or a IBM computer. The input data consists of two data files with parameter specifications. In addition, data files with precalculated wind fields and population distribution can be provided. The model outputs for doses, puff positions wind and concentration fields consists of disk files and printed data. Graphical presentation of results is based on a specific program, which creates background maps, wind vector plots, puff plots and isoconcentration contours.

Descriptors - INIS
ADVECTION; AIR POLLUTION; BOUNDARY LAYERS; COMPUTERIZED SIMULATION; DIFFUSION; GAMMA RADIATION; MANUALS; MATHEMATICAL MODELS; METEOROLOGY; PLUMES; R CODES; RADIATION DOSES; TRAJECTORIES; TURBULENCE; WIND

Available on request from Risø Library, Risø National Laboratory, (Risø Bibliotek, Forskningscenter Risø),
P.O. Box 49, DK-4000 Roskilde, Denmark.
Telephone 02 37 12 12, ext. 2262. Telex: 43116, Telefax: 02 36 06 09

Available on request from
Risø Library,
Risø National Laboratory, P.O. Box 49,
DK-4000 Roskilde, Denmark
Phone (02) 37 12 12 ext. 2262

ISBN 87-550-1374-0
ISSN 0418-6435